

Final Map, Plan, & Report

For the

Town of Leicester West Town Water District

Leicester, New York

January 2026



TABLE OF CONTENTS

| | | |
|-------|--------------------------------|----|
| I. | GENERAL..... | 1 |
| II. | PROJECT PLANNING AREA..... | 1 |
| III. | EXISTING FACILITIES..... | 3 |
| IV. | NEED FOR PROJECT..... | 4 |
| V. | ALTERNATIVES CONSIDERED..... | 4 |
| VI. | RECOMMENDED ALTERNATIVE..... | 7 |
| VII. | MISCELLANEOUS INFORMATION..... | 9 |
| VIII. | CONCLUSIONS..... | 10 |

LIST OF FIGURES

FIGURE 1 PROJECT LOCATION MAP

LIST OF APPENDICES

APPENDIX A WATER DISTRICT MAP & DESCRIPTION
APPENDIX B OPINION OF PROBABLE COSTS
APPENDIX C UNIT TABLES

I. General

The Town of Leicester has received public interest in establishing a water district along portions of Peoria Road, New Road, Covington Road, Coverdale Road, Cone Road, Bush Road, Dunkley Road, Leicester Road, Jones Bridge Road, Perry Road, and Gibsonville Road.

A water district is a special use district required by Town Law where a specific area of the Town receives a specific benefit. The cost of receiving this benefit is borne solely by the property owners in that specific area.

The purpose of this project is to provide a safe and reliable potable water supply and fire protection for property owners in the proposed West Town Water District.

II. Project Planning Area

A. Location

The proposed District will encompass portions of Peoria Road, New Road, Covington Road, Coverdale Road, Cone Road, Bush Road, Dunkley Road, Leicester Road, and Jones Bridge Road and will serve approximately 137 residential, commercial, and agricultural properties.

B. Environmental Resources Present

There are farmlands present in the project area. All construction will be taking place in existing road right-of-way or easements, and proper construction mitigation and restoration efforts will be implemented based on standard practices common to the industry.

There are Federally and State regulated wetlands, but they will not be impacted by the project as the water main will either be installed in the road right-of-way or directional drilled. In addition, several Class C streams will be crossed as part of the project either under a cross culvert or drilled.

There are no known endangered species in the project area, but the area does have the potential for Northern Long-eared bats. Tree removal, if any, will be limited between April and September.

Historical properties and cultural resources will be further evaluated during design when the precise location of the proposed main can be

identified. Construction will not proceed until SHPO is consulted and their approval is obtained.

C. Growth Areas and Population Trends

According to the United States Census, the Town of Leicester had a population of 2,200 in 2010 and 2,102 in 2023. This number reflects a population decrease of approximately 4.5%.

D. Community Engagement

The Town Board has discussed the possibility of extending water to the proposed areas at several public meetings over the past 5 years. In addition, the Town sent out a public survey form to the properties in the proposed district, receiving 166 individual responses.

- A total of 149 survey responses were obtained. However, 35 of those survey responses were not applicable for the following reasons:
 - 3 surveys were incomplete
 - 6 responses were from properties already connected to public water
 - 18 responses were duplicates, primarily due to multiple people from the same household filling out the survey
 - 1 respondent submitted a 2nd survey changing their mind from “no” to “yes”
 - 2 respondents are located on Route 20 east of the Hamlet of Cuylerville and will be able to connect to the transmission main installed under the Regional Water Project
 - 5 respondents are located east of River Road on Perry and Jones Bridge Roads in a very remote area of the Town
- Of the remaining 114 respondents:
 - 81% indicated “yes” they would be in favor of public water
 - 16% indicated “maybe”
 - 4% indicated “no”

There will be additional public meetings as the district formation proceeds.

III. Existing Facilities

A. Location Map

Figure 1 provides an overview of the existing and proposed water mains in the Town.

B. Existing Water Supply

The entire area of the proposed water district is presently served by private wells. The Town of Leicester has received several complaints about the quality and quantity of the water in the area. Residents in this area have experienced the following problems:

1. **Insufficient quantity** of water is available for residential wells. Residents must conserve water by alternating shower days, alternating laundry days, or not washing clothes in their residences at all.
2. **Poor water quality** is predominant in the existing well supplies. The water quality requires some residents to either boil water for consumption or purchase bottled water for cooking and consumption.
3. **High cost** to operate and maintain existing well supplies. Several residents must purchase chemicals for softening and treatment systems and must frequently replace their plumbing systems due to corrosion of their fixtures. Several residents currently pay over \$1,000 per year to operate and maintain their water system, which provides them with poor quality water and insufficient quantities at times.
4. **Fire Protection:** Currently, there is no water system to provide fire protection in the proposed water district.

C. Water Demands

The demands for the proposed service area are as follows:

| | |
|-------------|------------|
| Average Day | 22,520 gpd |
|-------------|------------|

The future demands for the proposed service area will utilize a 1% increase per year. This increase considers population projections and the land use of the area.

IV. Need for Project

A. Health and Safety

The proposed water main will provide safe potable water to the residents of the West Town Water District and will eliminate the public health risks associated with the quality and quantity of ground water in the area.

B. System O & M

A water distribution network will replace expensive individual water treatment units; this will reduce the operation and maintenance costs borne by the residents at this time. The Town of Leicester will contract with the LCWSA to provide retail service and operation and maintenance of the proposed service area.

C. Growth

While economic development is viewed as a project benefit, balancing economic development and land protection is necessary, critical, and has been considered for this project. Agriculture is important to the Town of Leicester, functioning as a part of the Town's economic base as well as being the foundation for the rural character that the Town wishes to maintain. The Town intends to limit future water service connections within the boundaries of Agricultural Districts to only agricultural structures or land and structures that have already been approved for development. Thus, there are no anticipated long-term impacts to the Agricultural Districts as a result of the proposed action including no change in use of agricultural/residential lands within any Agricultural Districts.

V. Alternatives Considered

A. Description

1. Alternative 1 – Null Alternative

Estimated Capital Cost: \$ 0

This alternative proposes to “do nothing”. The residents of the West Town Water District would continue using their existing well treatment systems, some whose annual costs can exceed \$1,500. Costs for the purchase of bottled water and off-site laundry services add an estimated \$500 to \$1,000 per year to the cost of a private well. This could mean escalating health problems and water shortages for the residents of the District.

2. Alternative 2 – New Water Distribution System

Estimated Capital Cost: \$6,971,000

Prior to defining the scope of the infrastructure that will be constructed by the Town, it is important to review the proposed infrastructure that will be installed by the LCWSA as part of the Regional Water Supply Project, depicted by the red line on Figure 1 at the end of this report. The proposed West Town Water District would not be feasible without the infrastructure that will be installed under the Regional Water Supply Project. This includes:

- Transmission main that will run from the east along Jones Bridge Road (east of the Village of Leicester), Wheelock Road, Perry Road, and Gibsonville Road. These mains are depicted in red on Figure 1 at the end of this report.
- A new water storage tank and pump station will be installed on Perry Road.
- In addition, the LCWSA will take over the operation and maintenance of existing water main along Crapsey Road and an existing water storage tank located at the western end of Crapsey Road.

The costs related to the LCWSA Regional Water Project are not included in the estimate for the proposed West Town Water District.

The infrastructure that will be installed by the Town as part of the West Town Water District includes:

- Base Project – Installation of 8-inch water main along portions of Peoria Road, New Road, Dunkley Road,

Leicester Road, and Jones Bridge Road. Highlighted in blue on Figure 1 at the end of this report.

- Area 2 – Installation of 8-inch water main along the western portion of Dunkley Road. Highlighted in orange on Figure 1 at the end of this report.
- Area 3 – Installation of 8-inch water main along portions of Bush Road, Cone Road, and Covington Road. Highlighted in green on Figure 1 at the end of this report.

Water services (long and short side) will be provided for all properties requiring a service, from the water main to the property line. This includes the properties along that transmission mains related to the LCWSA Regional Water Project.

B. Design Criteria

The proposed infrastructure will be designed to provide safe potable water and fire protection for the residents within the proposed service area, following the requirements of the New York State Department of Health.

C. Map

The proposed West Town Water District map is included in Appendix A. It should be noted that the map includes parcels along the Perry Road and Gibsonville Road transmissions that will be installed by the LCWSA as part of the Regional Water Supply Project.

D. Environmental Impacts

There are no anticipated negative environmental impacts associated with the project. However, an environmental review will be done for the project. All construction will be done in existing road Right-of-Ways or new permanent easements, and proper construction mitigation and restoration efforts will be implemented.

E. Advantages/Disadvantages

Although there are significant costs associated with Alternative 2, it is the most viable alternative as it is consistent with the goals and meets the needs of the Town of Leicester more effectively than the null alternative.

The advantages of Alternative 2 are as follows:

1. It will eliminate the ongoing health risks associated with the quality and quantity of ground water in the area.
2. Combined with other proposed water districts, it will be a step towards creating redundancy in the existing system, increasing the reliability of potable water supply and fire flow.

VI. Recommended Alternative

The recommended alternative is Alternative 2 - New Water Distribution System.

A. Project Design

1. Water Supply

The proposed water district will be provided with water through an agreement with the LCWSA.

2. Treatment

The City of Rochester Water Treatment Plant located on Hemlock Lake will provide treated water to the proposed District. The treated water will meet all the state and federal drinking water standards.

3. Storage

Primary storage for the proposed District will be provided through a new water storage tank to be constructed as part of the LCWSA Regional Water Supply Project, to be located Perry Road.

Additional storage for the upper hydraulic grade will be provided by an existing water storage tank located on Crapsey Road, which is currently owned by New York State and serves Letchworth State Park. The tank will become part of the LCWSA Regional Water Supply Project, allowing it to serve areas outside of Letchworth State Park, including the proposed West Town Water District.

4. Pumping Stations

A new pump station will be installed as part of the LCWSA Regional Water Supply Project on Perry Road to convey water from the Perry Road tank hydraulic grade to the Crapsey Road tank hydraulic grade.

5. Water Services

The portion of the water service from the right-of-way to the water main will be the responsibility of the district, including meter pits and water meters. The portion from the right-of-way to the home will be the responsibility of the homeowner.

B. Proposed Water District Unit Costs

The residents of the proposed District will assume the cost for the project. The estimated project unit costs are based on financing through USDA Rural Development at a 3.75% interest rate for a 38-year term.

The estimated average annual water cost was estimated based on a retail rate of \$5.05 per 1,000 gallons from the LCWSA and an average usage of 60,000 gallons/unit/year, along with a base charge of \$51 per quarter.

1. The estimated costs for the proposed project are detailed in Appendix B and summarized as follows:

| | |
|---|-------------------|
| Total Estimated Capital Cost | \$6,971,000 |
| Estimated Grant | \$4,879,700 |
| Net Project Costs | \$2,091,300 |
| Annual Debt Service (38 years, 3.75%) | \$104,129 |
| Estimated Debt Service/Unit (150.2 units) | \$639.27 |
| Estimated Yearly Water Cost | \$507.00 |
| Total Estimated Unit Cost | \$1,200.27 |

2. Equivalent Dwelling Units

Unit definition

- Any facility will be considered as a minimum of one (1) unit.
- Each single-family residential dwelling shall be considered to be one (1) unit. Included in this category will be single family houses and mobile homes.

- Multiple single-family dwellings on the same parcel of land or apartments. One (1) unit will be charged for the first family dwelling, with an additional one-half (0.5) unit for each additional dwelling.
 - This assumes a single water service and water meter.
- Vacant developable land not within the certified agricultural district will be assessed one-half (0.5) of a unit.
- Vacant undevelopable land not within the certified agricultural district will be assessed one-tenth (0.1) of a unit.
- Non-residential, commercial, and industrial facilities will be assigned an equivalent number of units based on usage.

3. Other One Time Costs

| | |
|---|---------------------------|
| LCWSA Application Fee | \$250 |
| Service Line | \$30/LF (\$3,000 Average) |
| Well Separation/ Plumbing Modifications | \$500 |

VII. Miscellaneous Information

A. Options for property owner’s well

1. Abandon the well.
2. Keep well but separate it from public water plumbing.
3. Keep well and install backflow prevention.

B. Service Line Information

1. A service line will be installed to all residences, from the water main to the road Right-of-Way, for connection to the public water system.

C. Optional Water District Enhancements with Remaining Funds

1. Upsize water main diameters to allow for future growth of the water system and maintain above average fire flows.
2. Extend water mains to the District Boundaries and through road intersections.

3. Reimburse the costs of any fees for the residents of the Water District.

D. Project Schedule

The overall project schedule has many variables including the timing of the LCWSA Regional Water Supply Project and funding awards for the West Town Water District.

It is anticipated that the infrastructure related to the LCWSA Regional Water Supply Project will be installed prior to the completion of the infrastructure related to the West Town Water District. This would result in water becoming available to the properties along the Perry Road and Gibsonville transmission mains, prior to the other roadways within the District.


Under this scenario the District would fund the water services along Perry Road and Gibsonville Road first, utilizing a local loan. Annual debt would then be charged to those property owners along Perry Road and Gibsonville Road, while all other properties in the District would not be charged, as they would not have water available. Once the infrastructure related to the District is installed, all properties in the District will be charged the annual debt service.

VIII. Conclusions

The Town of Leicester is committed to providing safe and reliable potable water supply and fire protection for its residents. This specific project will be instrumental in achieving that goal. It is recommended that the Town of Leicester seek funding for the completion of the project.

Figure 1

Project Location Map



MAP SHEET:
1

MAP TITLE:
Revised Town of Leicester Water Options

DATE PREPARED:
NOVEMBER 24TH, 2025



| Legend | |
|-----------------|---------------------------|
| County Boundary | Waterbody |
| Town Boundary | Water Storage Tank |
| Village | Water Treatment Facility |
| Local Road | Existing Town Water Main |
| County Road | Existing Water Main |
| State Route | Proposed LCWSA Water Main |
| Interstate | Proposed Town Water Main |
| | Project Area |
| | Base Project |
| | Area 2 |
| | Area 3 |

ARCHITECTURE
ENGINEERING
PLANNING
CPLteam.com

Appendix A

Water District Map & Description



CPL | Architecture Engineering Planning
 255 Woodcliff Drive, Suite 200
 Fairport, NY 14450
 CPLteam.com

PROJECT INFORMATION

Project Number
 ENTER VALUE
 Client Name

TOWN OF LEICESTER

Project Name

**TOWN OF LEICESTER WEST TOWN
 WATER DISTRICT**

Project Address

ENTER VALUE

PROJECT ISSUE & REVISION SCHEDULE

No. Date Description

PROFESSIONAL STAMPS

**FOR REVIEW ONLY
 NOT FOR PERMIT OR
 CONSTRUCTION**

NEW YORK STATE EDUCATION STATEMENT
 IT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW AND THE COMMISSIONER'S
 REGULATIONS FOR ANY PERSON, INCLUDING UNDER THE DIRECTION OF A LICENSED
 ARCHITECT, ENGINEER OR LAND SURVEYOR, TO ADOPT AN EMBLEM ANY WAY AS AN EMBLEM
 BEARING THE SEAL OF AN ARCHITECT, ENGINEER OR SURVEYOR, WITHOUT THE WRITING
 PARTY SHALL AFFIX TO THE SEAL AND THE DESIGN THEREBY FOLLOWED BY THE
 SIGNATURE AND THE DATE OF SUCH ADOPTION, AND A SPECIFIC OCCUPATION OF THE
 ADOPTION.

SHEET INFORMATION


Issued: 01/09/2026 Scale: 1" = 1,000'
 Project Status: Civil Revision Number

Drawn By: KMS Checked By: ECW

Drawing Title:
**PROPOSED WEST TOWN
 WATER DISTRICT**

Drawing Number

**XXX
 X###**



| KEY NOTE | | KEY NOTE | |
|----------|---------------|----------|---------------|
| 1 | 87.16-1.14.11 | 34 | 87.16-2.32 |
| 2 | 87.16-1.13 | 35 | 88.13-1.52 |
| 3 | 87.16-1.14.21 | 36 | 87.20-1.5 |
| 4 | 87.16-1.27 | 37 | 87.20-1.32 |
| 5 | 87.16-1.25 | 38 | 87.20-1.27 |
| 6 | 87.16-1.23 | 39 | 87.20-1.28 |
| 7 | 87.16-1.21 | 40 | 87.20-1.31 |
| 8 | 87.16-1.28 | 41 | 87.20-1.30 |
| 9 | 87.16-1.26 | 42 | 87.20-1.29 |
| 10 | 87.16-1.24 | 43 | 87.20-1.26 |
| 11 | 87.16-1.22 | 44 | 87.20-1.15 |
| 12 | 87.16-1.4 | 45 | 87.20-1.19 |
| 13 | 87.16-1.7 | 46 | 87.20-1.10 |
| 14 | 87.16-1.8 | 47 | 88.13-3.48 |
| 15 | 87.16-1.9 | 48 | 88.13-1.59 |
| 16 | 87.16-1.10 | 49 | 88.13-1.52 |
| 17 | 87.16-1.11 | 50 | 88.13-1.41.1 |
| 18 | 87.16-1.12 | 51 | 88.13-1.41.21 |
| 19 | 87.16-2.7 | 52 | 88.13-1.43 |
| 20 | 87.16-2.8 | 53 | 88.13-1.42 |
| 21 | 87.16-2.19.1 | 54 | 88.13-1.31 |
| 22 | 87.16-2.18.1 | 55 | 88.13-1.37 |
| 23 | 87.16-2.9 | 56 | 88.13-1.36.11 |
| 24 | 87.16-2.27.2 | 57 | 88.13-1.35 |
| 25 | 87.16-2.22 | 58 | 88.13-1.34.1 |
| 26 | 87.16-1.44.2 | 59 | 88.13-1.33 |
| 27 | 87.20-1.23 | 60 | 88.13-1.31 |
| 28 | 87.16-2.35 | 61 | 88.13-1.21 |
| 29 | 87.16-2.34 | 62 | 88.13-1.22 |
| 30 | 87.16-2.29 | 63 | 88.13-1.24 |
| 31 | 87.16-1.52 | 64 | 88.13-1.25 |
| 32 | 87.16-2.34 | 65 | 88.13-1.31 |
| 33 | 87.16-2.32.2 | | |

Sheet Size: 22x34
 Drawing Name: S:\Projects\Leicester_Town\General\Prop WD Map OPT 2.dwg
 Date last accessed: 1/9/2026 9:55 AM
 Date last plotted: 1/9/2026 9:56 AM
 Plotted By: Kathrine Schuler

**TOWN OF LEICESTER
WEST TOWN WATER DISTRICT**

All that tract or parcel of land situate in the Town of Leicester, County of Livingston, State of New York, being described as follows:

Using the New York State Plane NAD 83, west zone, U.S. Survey foot coordinate system, beginning at Point 'A', whose Northing is 1015575.1145' and whose Easting is 1327338.2829'; thence,

1. Bearing N 01° 37' 45" W for a distance of 978.67 feet, more or less, to a point; thence,
2. Bearing S 89° 04' 41" E for a distance of 615.39 feet, more or less, to a point; thence,
3. Bearing N 00° 08' 36" W for a distance of 463.59 feet, more or less, to a point; thence,
4. Bearing S 87° 59' 38" E for a distance of 1058.05 feet, more or less, to a point; thence,
5. Bearing N 01° 15' 47" W for a distance of 776.56 feet, more or less, to a point; thence,
6. Bearing N 01° 15' 47" W for a distance of 24.67 feet, more or less, to a point; thence,
7. Bearing S 89° 56' 49" E for a distance of 397.51 feet, more or less, to a point; thence,
8. Bearing N 01° 03' 38" W for a distance of 26.16 feet, more or less, to a point; thence,
9. Bearing N 01° 03' 38" W for a distance of 205.27 feet, more or less, to a point; thence,
10. Bearing N 90° 00' 00" W for a distance of 174.75 feet, more or less, to a point; thence,
11. Bearing N 00° 25' 33" W for a distance of 443.66 feet, more or less, to a point; thence,
12. Bearing S 86° 13' 03" E for a distance of 199.92 feet, more or less, to a point; thence,
13. Bearing S 45° 53' 20" E for a distance of 165.32 feet, more or less, to a point; thence,
14. Bearing S 78° 56' 36" E for a distance of 490.65 feet, more or less, to a point; thence,
15. Bearing N 00° 28' 50" W for a distance of 648.45 feet, more or less, to a point; thence,
16. Bearing S 89° 21' 24" E for a distance of 254.91 feet, more or less, to a point; thence,
17. Bearing N 90° 00' 00" E for a distance of 43.52 feet, more or less, to a point; thence,
18. Bearing S 63° 01' 51" E for a distance of 501.66 feet, more or less, to a point; thence,
19. Bearing S 89° 44' 43" E for a distance of 296.76 feet, more or less, to a point; thence,

20. Bearing S 51° 59' 38" E for a distance of 252.75 feet, more or less, to a point; thence,
21. Bearing S 00° 00' 00" W for a distance of 228.70 feet, more or less, to a point; thence,
22. Bearing S 19° 39' 12" E for a distance of 39.21 feet, more or less, to a point; thence,
23. Bearing N 89° 45' 49" E for a distance of 639.67 feet, more or less, to a point; thence,
24. Bearing N 80° 31' 15" E for a distance of 325.99 feet, more or less, to a point; thence,
25. Bearing S 04° 23' 55" W for a distance of 339.61 feet, more or less, to a point; thence,
26. Bearing S 07° 29' 27" W for a distance of 150.22 feet, more or less, to a point; thence,
27. Bearing S 89° 32' 50" W for a distance of 0.94 feet, more or less, to a point; thence,
28. Bearing S 08° 31' 23" W for a distance of 1231.99 feet, more or less, to a point; thence,
29. Bearing S 08° 29' 21" W for a distance of 637.47 feet, more or less, to a point; thence,
30. Bearing S 08° 20' 22" W for a distance of 784.06 feet, more or less, to a point; thence,
31. Bearing S 08° 20' 22" W for a distance of 1351.57 feet, more or less, to a point; thence,
32. Bearing S 63° 25' 59" W for a distance of 13.09 feet, more or less, to a point; thence,
33. Bearing S 07° 40' 07" W for a distance of 729.29 feet, more or less, to a point; thence,
34. Bearing S 59° 07' 36" E for a distance of 14.29 feet, more or less, to a point; thence,
35. Bearing S 27° 03' 17" W for a distance of 264.60 feet, more or less, to a point; thence,
36. Bearing S 63° 26' 06" E for a distance of 75.07 feet, more or less, to a point; thence,
37. Bearing S 03° 27' 33" W for a distance of 208.66 feet, more or less, to a point; thence,
38. Bearing S 88° 56' 20" W for a distance of 97.14 feet, more or less, to a point; thence,
39. Bearing S 44° 25' 58" W for a distance of 158.43 feet, more or less, to a point; thence,
40. Bearing S 58° 57' 54" W for a distance of 165.13 feet, more or less, to a point; thence,
41. Bearing S 33° 00' 10" W for a distance of 219.04 feet, more or less, to a point; thence,
42. Bearing S 15° 49' 26" E for a distance of 116.53 feet, more or less, to a point; thence,

43. Bearing S 29° 43' 59" W for a distance of 47.33 feet, more or less, to a point; thence,
44. Bearing N 50° 26' 20" W for a distance of 16.09 feet, more or less, to a point; thence,
45. Bearing N 39° 13' 06" W for a distance of 60.57 feet, more or less, to a point; thence,
46. Bearing N 28° 09' 48" W for a distance of 41.01 feet, more or less, to a point; thence,
47. Bearing N 49° 49' 14" W for a distance of 56.48 feet, more or less, to a point; thence,
48. Bearing N 49° 01' 40" W for a distance of 48.26 feet, more or less, to a point; thence,
49. Bearing N 36° 31' 45" W for a distance of 32.22 feet, more or less, to a point; thence,
50. Bearing N 34° 46' 43" W for a distance of 42.03 feet, more or less, to a point; thence,
51. Bearing N 52° 03' 28" W for a distance of 71.74 feet, more or less, to a point; thence,
52. Bearing N 59° 48' 32" W for a distance of 61.02 feet, more or less, to a point; thence,
53. Bearing N 62° 44' 35" W for a distance of 35.60 feet, more or less, to a point; thence,
54. Bearing N 80° 08' 00" W for a distance of 22.39 feet, more or less, to a point; thence,
55. Bearing S 65° 33' 14" W for a distance of 11.59 feet, more or less, to a point; thence,
56. Bearing S 16° 23' 18" W for a distance of 16.99 feet, more or less, to a point; thence,
57. Bearing S 15° 56' 33" W for a distance of 13.96 feet, more or less, to a point; thence,
58. Bearing S 30° 08' 33" W for a distance of 34.37 feet, more or less, to a point; thence,
59. Bearing S 39° 48' 19" W for a distance of 37.45 feet, more or less, to a point; thence,
60. Bearing S 50° 49' 37" W for a distance of 33.40 feet, more or less, to a point; thence,
61. Bearing S 53° 47' 43" W for a distance of 58.23 feet, more or less, to a point; thence,
62. Bearing S 50° 10' 36" W for a distance of 50.99 feet, more or less, to a point; thence,
63. Bearing S 60° 28' 44" W for a distance of 59.52 feet, more or less, to a point; thence,
64. Bearing S 67° 40' 16" W for a distance of 37.78 feet, more or less, to a point; thence,
65. Bearing S 81° 07' 11" W for a distance of 40.42 feet, more or less, to a point; thence,

66. Bearing N 87° 40' 43" W for a distance of 46.22 feet, more or less, to a point; thence,
67. Bearing N 76° 39' 38" W for a distance of 62.21 feet, more or less, to a point; thence,
68. Bearing N 59° 20' 09" W for a distance of 81.98 feet, more or less, to a point; thence,
69. Bearing N 57° 05' 42" W for a distance of 75.81 feet, more or less, to a point; thence,
70. Bearing N 65° 53' 50" W for a distance of 51.96 feet, more or less, to a point; thence,
71. Bearing N 77° 36' 19" W for a distance of 58.14 feet, more or less, to a point; thence,
72. Bearing S 88° 40' 04" W for a distance of 53.68 feet, more or less, to a point; thence,
73. Bearing S 81° 29' 33" W for a distance of 80.13 feet, more or less, to a point; thence,
74. Bearing S 80° 23' 35" W for a distance of 41.14 feet, more or less, to a point; thence,
75. Bearing S 86° 22' 02" W for a distance of 39.39 feet, more or less, to a point; thence,
76. Bearing S 87° 03' 13" W for a distance of 84.98 feet, more or less, to a point; thence,
77. Bearing N 89° 15' 22" W for a distance of 96.11 feet, more or less, to a point; thence,
78. Bearing S 85° 14' 12" W for a distance of 22.54 feet, more or less, to a point; thence,
79. Bearing N 82° 52' 32" W for a distance of 30.19 feet, more or less, to a point; thence,
80. Bearing N 68° 46' 35" W for a distance of 68.95 feet, more or less, to a point; thence,
81. Bearing N 56° 15' 25" W for a distance of 56.28 feet, more or less, to a point; thence,
82. Bearing N 45° 56' 24" W for a distance of 53.84 feet, more or less, to a point; thence,
83. Bearing N 30° 57' 46" W for a distance of 40.03 feet, more or less, to a point; thence,
84. Bearing N 25° 01' 01" W for a distance of 41.32 feet, more or less, to a point; thence,
85. Bearing N 43° 13' 43" W for a distance of 42.82 feet, more or less, to a point; thence,
86. Bearing N 60° 49' 56" W for a distance of 61.46 feet, more or less, to a point; thence,
87. Bearing N 57° 29' 05" W for a distance of 173.81 feet, more or less, to a point; thence,
88. Bearing S 65° 24' 14" W for a distance of 601.23 feet, more or less, to a point; thence,

89. Bearing N 62° 31' 34" W for a distance of 30.96 feet, more or less, to a point; thence,
90. Bearing N 29° 01' 05" W for a distance of 499.63 feet, more or less, to a point; thence,
91. Bearing N 62° 11' 33" W for a distance of 457.86 feet, more or less, to a point; thence,
92. Bearing S 86° 34' 56" W for a distance of 402.28 feet, more or less, to a point; thence,
93. Bearing N 01° 06' 08" W for a distance of 370.52 feet, more or less, to a point; thence,
94. Bearing N 85° 59' 32" W for a distance of 374.29 feet, more or less, to a point; thence,
95. Bearing N 77° 19' 39" W for a distance of 137.32 feet, more or less, to a point; thence,
96. Bearing N 75° 27' 23" W for a distance of 1233.37 feet, more or less, to a point; thence,
97. Bearing N 85° 54' 05" W for a distance of 499.11 feet, more or less, to a point; thence,
98. Bearing N 63° 38' 28" W for a distance of 1218.18 feet, more or less, to a point; thence,
99. Bearing S 00° 52' 18" E for a distance of 121.27 feet, more or less, to a point; thence,
100. Bearing S 00° 52' 19" E for a distance of 328.00 feet, more or less, to a point; thence,
101. Bearing S 01° 07' 29" E for a distance of 196.87 feet, more or less, to a point; thence,
102. Bearing S 02° 36' 12" E for a distance of 24.61 feet, more or less, to a point; thence,
103. Bearing S 84° 19' 58" E for a distance of 83.69 feet, more or less, to a point; thence,
104. Bearing S 79° 02' 44" E for a distance of 115.41 feet, more or less, to a point; thence,
105. Bearing S 72° 53' 50" E for a distance of 174.00 feet, more or less, to a point; thence,
106. Bearing S 62° 40' 50" E for a distance of 341.46 feet, more or less, to a point; thence,
107. Bearing S 64° 11' 14" E for a distance of 186.77 feet, more or less, to a point; thence,
108. Bearing S 64° 41' 55" E for a distance of 55.59 feet, more or less, to a point; thence,
109. Bearing S 74° 35' 47" E for a distance of 92.89 feet, more or less, to a point; thence,
110. Bearing S 84° 27' 16" E for a distance of 94.56 feet, more or less, to a point; thence,
111. Bearing S 88° 23' 39" E for a distance of 97.81 feet, more or less, to a point; thence,

112. Bearing S 80° 19' 35" E for a distance of 81.57 feet, more or less, to a point; thence,
113. Bearing S 74° 05' 34" E for a distance of 95.02 feet, more or less, to a point; thence,
114. Bearing S 64° 36' 15" E for a distance of 100.14 feet, more or less, to a point; thence,
115. Bearing S 61° 14' 25" E for a distance of 224.10 feet, more or less, to a point; thence,
116. Bearing S 00° 49' 46" E for a distance of 708.99 feet, more or less, to a point; thence,
117. Bearing N 89° 09' 11" E for a distance of 280.93 feet, more or less, to a point; thence,
118. Bearing N 89° 35' 51" E for a distance of 1210.03 feet, more or less, to a point; thence,
119. Bearing N 89° 35' 51" E for a distance of 168.25 feet, more or less, to a point; thence,
120. Bearing S 00° 57' 44" E for a distance of 79.85 feet, more or less, to a point; thence,
121. Bearing S 01° 17' 14" E for a distance of 246.37 feet, more or less, to a point; thence,
122. Bearing S 01° 06' 52" E for a distance of 234.67 feet, more or less, to a point; thence,
123. Bearing S 73° 53' 33" E for a distance of 0.77 feet, more or less, to a point; thence,
124. Bearing S 00° 29' 19" E for a distance of 162.80 feet, more or less, to a point; thence,
125. Bearing S 83° 55' 24" W for a distance of 159.31 feet, more or less, to a point; thence,
126. Bearing S 56° 29' 49" W for a distance of 48.17 feet, more or less, to a point; thence,
127. Bearing S 27° 21' 55" W for a distance of 167.07 feet, more or less, to a point; thence,
128. Bearing S 07° 13' 50" E for a distance of 95.52 feet, more or less, to a point; thence,
129. Bearing S 20° 32' 26" E for a distance of 90.69 feet, more or less, to a point; thence,
130. Bearing S 14° 39' 23" E for a distance of 95.02 feet, more or less, to a point; thence,
131. Bearing S 08° 31' 51" E for a distance of 57.21 feet, more or less, to a point; thence,
132. Bearing S 00° 00' 00" W for a distance of 43.84 feet, more or less, to a point; thence,
133. Bearing S 22° 17' 53" W for a distance of 48.46 feet, more or less, to a point; thence,
134. Bearing S 39° 36' 40" W for a distance of 53.24 feet, more or less, to a point; thence,

135. Bearing S 54° 33' 59" W for a distance of 45.13 feet, more or less, to a point; thence,
136. Bearing S 73° 12' 08" W for a distance of 39.15 feet, more or less, to a point; thence,
137. Bearing S 81° 58' 21" W for a distance of 55.70 feet, more or less, to a point; thence,
138. Bearing S 76° 17' 31" W for a distance of 29.84 feet, more or less, to a point; thence,
139. Bearing S 58° 16' 35" W for a distance of 45.72 feet, more or less, to a point; thence,
140. Bearing S 52° 39' 00" W for a distance of 33.80 feet, more or less, to a point; thence,
141. Bearing S 39° 55' 14" W for a distance of 45.18 feet, more or less, to a point; thence,
142. Bearing S 46° 58' 28" W for a distance of 29.02 feet, more or less, to a point; thence,
143. Bearing S 70° 28' 03" W for a distance of 23.26 feet, more or less, to a point; thence,
144. Bearing N 82° 39' 07" W for a distance of 22.10 feet, more or less, to a point; thence,
145. Bearing N 71° 33' 51" W for a distance of 22.36 feet, more or less, to a point; thence,
146. Bearing S 79° 06' 50" W for a distance of 18.72 feet, more or less, to a point; thence,
147. Bearing S 63° 02' 50" W for a distance of 46.81 feet, more or less, to a point; thence,
148. Bearing S 53° 07' 51" W for a distance of 17.68 feet, more or less, to a point; thence,
149. Bearing S 28° 36' 44" W for a distance of 35.44 feet, more or less, to a point; thence,
150. Bearing S 15° 39' 01" W for a distance of 41.93 feet, more or less, to a point; thence,
151. Bearing S 02° 21' 18" W for a distance of 51.67 feet, more or less, to a point; thence,
152. Bearing S 12° 31' 45" E for a distance of 39.12 feet, more or less, to a point; thence,
153. Bearing S 32° 40' 49" E for a distance of 44.53 feet, more or less, to a point; thence,
154. Bearing S 40° 50' 23" E for a distance of 55.15 feet, more or less, to a point; thence,
155. Bearing S 34° 54' 13" E for a distance of 37.08 feet, more or less, to a point; thence,
156. Bearing S 22° 45' 03" E for a distance of 23.77 feet, more or less, to a point; thence,
157. Bearing S 11° 25' 24" W for a distance of 14.28 feet, more or less, to a point; thence,

158. Bearing S 51° 20' 25" W for a distance of 22.64 feet, more or less, to a point; thence,
159. Bearing S 72° 28' 23" W for a distance of 28.18 feet, more or less, to a point; thence,
160. Bearing N 90° 00' 00" W for a distance of 45.26 feet, more or less, to a point; thence,
161. Bearing N 33° 18' 09" W for a distance of 50.25 feet, more or less, to a point; thence,
162. Bearing N 73° 34' 55" W for a distance of 69.47 feet, more or less, to a point; thence,
163. Bearing S 01° 57' 05" E for a distance of 46.81 feet, more or less, to a point; thence,
164. Bearing S 01° 57' 03" E for a distance of 772.07 feet, more or less, to a point; thence,
165. Bearing S 88° 09' 22" E for a distance of 665.86 feet, more or less, to a point; thence,
166. Bearing S 88° 09' 21" E for a distance of 89.25 feet, more or less, to a point; thence,
167. Bearing S 87° 49' 03" E for a distance of 448.86 feet, more or less, to a point; thence,
168. Bearing N 34° 45' 04" E for a distance of 263.31 feet, more or less, to a point; thence,
169. Bearing N 89° 17' 38" E for a distance of 44.19 feet, more or less, to a point; thence,
170. Bearing N 89° 17' 38" E for a distance of 998.23 feet, more or less, to a point; thence,
171. Bearing S 02° 00' 07" W for a distance of 62.03 feet, more or less, to a point; thence,
172. Bearing N 87° 05' 46" E for a distance of 293.54 feet, more or less, to a point; thence,
173. Bearing S 03° 51' 29" E for a distance of 195.40 feet, more or less, to a point; thence,
174. Bearing S 50° 44' 02" E for a distance of 180.00 feet, more or less, to a point; thence,
175. Bearing S 87° 29' 30" E for a distance of 224.11 feet, more or less, to a point; thence,
176. Bearing N 02° 00' 58" E for a distance of 113.50 feet, more or less, to a point; thence,
177. Bearing N 46° 27' 13" E for a distance of 106.51 feet, more or less, to a point; thence,
178. Bearing N 05° 32' 17" E for a distance of 439.60 feet, more or less, to a point; thence,
179. Bearing S 88° 29' 47" E for a distance of 593.83 feet, more or less, to a point; thence,
180. Bearing N 03° 23' 19" E for a distance of 64.03 feet, more or less, to a point; thence,

181. Bearing N 87° 13' 36" E for a distance of 125.90 feet, more or less, to a point; thence,
182. Bearing N 87° 06' 14" E for a distance of 241.16 feet, more or less, to a point; thence,
183. Bearing N 87° 46' 52" E for a distance of 56.18 feet, more or less, to a point; thence,
184. Bearing S 00° 57' 01" E for a distance of 369.09 feet, more or less, to a point; thence,
185. Bearing N 89° 30' 51" E for a distance of 274.75 feet, more or less, to a point; thence,
186. Bearing S 00° 32' 53" E for a distance of 75.28 feet, more or less, to a point; thence,
187. Bearing S 00° 32' 52" E for a distance of 100.51 feet, more or less, to a point; thence,
188. Bearing S 00° 32' 52" E for a distance of 99.90 feet, more or less, to a point; thence,
189. Bearing S 00° 32' 52" E for a distance of 75.00 feet, more or less, to a point; thence,
190. Bearing S 00° 32' 52" E for a distance of 100.00 feet, more or less, to a point; thence,
191. Bearing S 00° 32' 52" E for a distance of 100.00 feet, more or less, to a point; thence,
192. Bearing S 00° 32' 51" E for a distance of 120.32 feet, more or less, to a point; thence,
193. Bearing N 89° 27' 06" E for a distance of 19.95 feet, more or less, to a point; thence,
194. Bearing S 00° 31' 35" E for a distance of 175.39 feet, more or less, to a point; thence,
195. Bearing S 00° 31' 35" E for a distance of 159.62 feet, more or less, to a point; thence,
196. Bearing N 88° 34' 35" E for a distance of 164.98 feet, more or less, to a point; thence,
197. Bearing N 88° 34' 35" E for a distance of 24.90 feet, more or less, to a point; thence,
198. Bearing S 00° 21' 28" E for a distance of 48.40 feet, more or less, to a point; thence,
199. Bearing N 79° 56' 50" E for a distance of 24.59 feet, more or less, to a point; thence,
200. Bearing N 86° 54' 55" E for a distance of 100.25 feet, more or less, to a point; thence,
201. Bearing S 00° 05' 06" E for a distance of 22.02 feet, more or less, to a point; thence,
202. Bearing S 00° 05' 06" E for a distance of 406.38 feet, more or less, to a point; thence,
203. Bearing S 00° 05' 05" E for a distance of 445.29 feet, more or less, to a point; thence,

204. Bearing N 89° 24' 14" W for a distance of 245.54 feet, more or less, to a point; thence,
205. Bearing S 00° 43' 12" E for a distance of 1450.64 feet, more or less, to a point; thence,
206. Bearing S 00° 58' 07" E for a distance of 564.92 feet, more or less, to a point; thence,
207. Bearing N 86° 52' 30" E for a distance of 451.60 feet, more or less, to a point; thence,
208. Bearing N 86° 06' 51" E for a distance of 413.58 feet, more or less, to a point; thence,
209. Bearing S 03° 06' 45" E for a distance of 208.07 feet, more or less, to a point; thence,
210. Bearing N 87° 41' 59" E for a distance of 1239.22 feet, more or less, to a point; thence,
211. Bearing S 19° 30' 31" W for a distance of 155.79 feet, more or less, to a point; thence,
212. Bearing S 19° 58' 59" W for a distance of 235.71 feet, more or less, to a point; thence,
213. Bearing S 19° 29' 13" W for a distance of 402.02 feet, more or less, to a point; thence,
214. Bearing S 19° 29' 13" W for a distance of 67.75 feet, more or less, to a point; thence,
215. Bearing N 88° 34' 57" W for a distance of 115.39 feet, more or less, to a point; thence,
216. Bearing S 87° 30' 47" W for a distance of 340.02 feet, more or less, to a point; thence,
217. Bearing S 89° 28' 04" W for a distance of 48.58 feet, more or less, to a point; thence,
218. Bearing S 04° 13' 13" E for a distance of 883.33 feet, more or less, to a point; thence,
219. Bearing S 89° 33' 33" W for a distance of 198.22 feet, more or less, to a point; thence,
220. Bearing S 89° 44' 00" W for a distance of 327.82 feet, more or less, to a point; thence,
221. Bearing S 01° 36' 25" E for a distance of 47.43 feet, more or less, to a point; thence,
222. Bearing S 00° 32' 08" E for a distance of 610.92 feet, more or less, to a point; thence,
223. Bearing S 89° 43' 40" W for a distance of 670.75 feet, more or less, to a point; thence,
224. Bearing S 00° 21' 16" E for a distance of 710.46 feet, more or less, to a point; thence,
225. Bearing S 00° 52' 29" E for a distance of 122.61 feet, more or less, to a point; thence,
226. Bearing S 22° 25' 33" W for a distance of 236.65 feet, more or less, to a point; thence,

227. Bearing S 02° 34' 17" E for a distance of 116.09 feet, more or less, to a point; thence,
228. Bearing S 86° 29' 08" W for a distance of 1104.51 feet, more or less, to a point; thence,
229. Bearing S 00° 24' 24" W for a distance of 244.80 feet, more or less, to a point; thence,
230. Bearing N 89° 31' 03" W for a distance of 1612.17 feet, more or less, to a point; thence,
231. Bearing N 89° 34' 04" W for a distance of 619.95 feet, more or less, to a point; thence,
232. Bearing N 89° 23' 48" W for a distance of 1236.28 feet, more or less, to a point; thence,
233. Bearing S 00° 20' 50" E for a distance of 145.74 feet, more or less, to a point; thence,
234. Bearing N 89° 29' 19" W for a distance of 392.23 feet, more or less, to a point; thence,
235. Bearing N 89° 41' 37" W for a distance of 66.94 feet, more or less, to a point; thence,
236. Bearing S 40° 17' 31" W for a distance of 21.93 feet, more or less, to a point; thence,
237. Bearing S 28° 44' 23" W for a distance of 25.72 feet, more or less, to a point; thence,
238. Bearing S 03° 22' 01" W for a distance of 24.77 feet, more or less, to a point; thence,
239. Bearing S 07° 47' 31" E for a distance of 34.87 feet, more or less, to a point; thence,
240. Bearing S 02° 34' 16" W for a distance of 24.32 feet, more or less, to a point; thence,
241. Bearing S 24° 26' 45" W for a distance of 26.37 feet, more or less, to a point; thence,
242. Bearing S 53° 58' 19" W for a distance of 34.63 feet, more or less, to a point; thence,
243. Bearing S 46° 41' 02" W for a distance of 17.50 feet, more or less, to a point; thence,
244. Bearing S 27° 11' 52" W for a distance of 29.44 feet, more or less, to a point; thence,
245. Bearing S 44° 27' 34" W for a distance of 21.81 feet, more or less, to a point; thence,
246. Bearing S 63° 26' 06" W for a distance of 23.58 feet, more or less, to a point; thence,
247. Bearing N 90° 00' 00" W for a distance of 22.91 feet, more or less, to a point; thence,
248. Bearing N 67° 22' 46" W for a distance of 18.91 feet, more or less, to a point; thence,
249. Bearing N 60° 04' 41" W for a distance of 58.33 feet, more or less, to a point; thence,

250. Bearing N 68° 47' 18" W for a distance of 26.14 feet, more or less, to a point; thence,
251. Bearing N 85° 54' 59" W for a distance of 20.42 feet, more or less, to a point; thence,
252. Bearing S 74° 21' 29" W for a distance of 9.44 feet, more or less, to a point; thence,
253. Bearing S 18° 26' 06" W for a distance of 11.50 feet, more or less, to a point; thence,
254. Bearing S 01° 35' 29" W for a distance of 52.39 feet, more or less, to a point; thence,
255. Bearing S 15° 45' 05" W for a distance of 29.47 feet, more or less, to a point; thence,
256. Bearing S 02° 29' 30" E for a distance of 16.74 feet, more or less, to a point; thence,
257. Bearing S 17° 37' 37" E for a distance of 66.06 feet, more or less, to a point; thence,
258. Bearing S 08° 07' 44" E for a distance of 20.57 feet, more or less, to a point; thence,
259. Bearing S 01° 55' 27" W for a distance of 43.30 feet, more or less, to a point; thence,
260. Bearing S 25° 38' 15" W for a distance of 41.19 feet, more or less, to a point; thence,
261. Bearing S 41° 04' 12" W for a distance of 33.77 feet, more or less, to a point; thence,
262. Bearing S 57° 22' 52" W for a distance of 32.38 feet, more or less, to a point; thence,
263. Bearing S 78° 11' 56" W for a distance of 24.89 feet, more or less, to a point; thence,
264. Bearing N 89° 27' 01" W for a distance of 37.83 feet, more or less, to a point; thence,
265. Bearing S 84° 43' 35" W for a distance of 23.74 feet, more or less, to a point; thence,
266. Bearing S 24° 18' 31" W for a distance of 12.37 feet, more or less, to a point; thence,
267. Bearing S 02° 43' 42" W for a distance of 15.29 feet, more or less, to a point; thence,
268. Bearing S 09° 51' 52" W for a distance of 16.98 feet, more or less, to a point; thence,
269. Bearing S 32° 22' 47" W for a distance of 17.66 feet, more or less, to a point; thence,
270. Bearing S 57° 46' 12" W for a distance of 19.78 feet, more or less, to a point; thence,
271. Bearing S 66° 12' 32" W for a distance of 36.96 feet, more or less, to a point; thence,
272. Bearing S 60° 47' 18" W for a distance of 31.67 feet, more or less, to a point; thence,

273. Bearing S 46° 38' 01" W for a distance of 18.01 feet, more or less, to a point; thence,
274. Bearing S 34° 20' 48" W for a distance of 26.43 feet, more or less, to a point; thence,
275. Bearing S 39° 38' 40" W for a distance of 33.06 feet, more or less, to a point; thence,
276. Bearing S 47° 51' 32" W for a distance of 30.41 feet, more or less, to a point; thence,
277. Bearing S 67° 56' 08" W for a distance of 14.52 feet, more or less, to a point; thence,
278. Bearing S 73° 46' 00" W for a distance of 29.92 feet, more or less, to a point; thence,
279. Bearing S 50° 03' 58" W for a distance of 20.40 feet, more or less, to a point; thence,
280. Bearing S 39° 02' 06" W for a distance of 34.65 feet, more or less, to a point; thence,
281. Bearing S 50° 42' 35" W for a distance of 20.68 feet, more or less, to a point; thence,
282. Bearing S 62° 06' 06" W for a distance of 13.99 feet, more or less, to a point; thence,
283. Bearing N 76° 59' 32" W for a distance of 4.85 feet, more or less, to a point; thence,
284. Bearing N 41° 56' 51" W for a distance of 38.63 feet, more or less, to a point; thence,
285. Bearing N 38° 55' 41" W for a distance of 36.47 feet, more or less, to a point; thence,
286. Bearing N 45° 09' 29" W for a distance of 46.67 feet, more or less, to a point; thence,
287. Bearing N 51° 33' 45" W for a distance of 29.25 feet, more or less, to a point; thence,
288. Bearing N 68° 20' 02" W for a distance of 28.57 feet, more or less, to a point; thence,
289. Bearing N 84° 35' 53" W for a distance of 27.03 feet, more or less, to a point; thence,
290. Bearing S 83° 17' 28" W for a distance of 24.90 feet, more or less, to a point; thence,
291. Bearing S 71° 47' 32" W for a distance of 29.10 feet, more or less, to a point; thence,
292. Bearing S 56° 49' 14" W for a distance of 22.60 feet, more or less, to a point; thence,
293. Bearing S 32° 44' 04" W for a distance of 12.11 feet, more or less, to a point; thence,
294. Bearing S 01° 16' 27" W for a distance of 16.37 feet, more or less, to a point; thence,
295. Bearing S 08° 06' 20" E for a distance of 12.89 feet, more or less, to a point; thence,

296. Bearing S 16° 19' 14" E for a distance of 84.13 feet, more or less, to a point; thence,
297. Bearing S 02° 46' 48" W for a distance of 37.50 feet, more or less, to a point; thence,
298. Bearing S 05° 20' 17" W for a distance of 19.54 feet, more or less, to a point; thence,
299. Bearing S 14° 37' 13" E for a distance of 34.58 feet, more or less, to a point; thence,
300. Bearing S 09° 27' 42" W for a distance of 26.55 feet, more or less, to a point; thence,
301. Bearing S 06° 00' 36" W for a distance of 27.79 feet, more or less, to a point; thence,
302. Bearing S 04° 34' 24" E for a distance of 13.68 feet, more or less, to a point; thence,
303. Bearing S 16° 02' 03" E for a distance of 32.92 feet, more or less, to a point; thence,
304. Bearing S 06° 52' 46" E for a distance of 21.25 feet, more or less, to a point; thence,
305. Bearing S 04° 57' 49" W for a distance of 16.79 feet, more or less, to a point; thence,
306. Bearing S 23° 27' 10" W for a distance of 17.36 feet, more or less, to a point; thence,
307. Bearing S 38° 29' 01" W for a distance of 18.12 feet, more or less, to a point; thence,
308. Bearing S 60° 38' 28" W for a distance of 20.03 feet, more or less, to a point; thence,
309. Bearing S 79° 05' 20" W for a distance of 30.74 feet, more or less, to a point; thence,
310. Bearing S 70° 49' 13" W for a distance of 17.71 feet, more or less, to a point; thence,
311. Bearing S 60° 51' 08" W for a distance of 43.31 feet, more or less, to a point; thence,
312. Bearing S 79° 18' 52" W for a distance of 19.62 feet, more or less, to a point; thence,
313. Bearing N 82° 08' 00" W for a distance of 55.81 feet, more or less, to a point; thence,
314. Bearing S 80° 20' 18" W for a distance of 17.34 feet, more or less, to a point; thence,
315. Bearing S 61° 29' 22" W for a distance of 33.52 feet, more or less, to a point; thence,
316. Bearing S 28° 28' 25" W for a distance of 24.41 feet, more or less, to a point; thence,
317. Bearing S 04° 21' 58" W for a distance of 19.11 feet, more or less, to a point; thence,
318. Bearing S 24° 51' 50" E for a distance of 16.43 feet, more or less, to a point; thence,

319. Bearing S 45° 56' 24" E for a distance of 15.69 feet, more or less, to a point; thence,
320. Bearing S 59° 41' 50" E for a distance of 32.44 feet, more or less, to a point; thence,
321. Bearing S 65° 53' 52" E for a distance of 75.70 feet, more or less, to a point; thence,
322. Bearing S 56° 05' 39" E for a distance of 26.73 feet, more or less, to a point; thence,
323. Bearing S 25° 02' 48" E for a distance of 17.18 feet, more or less, to a point; thence,
324. Bearing S 11° 18' 05" W for a distance of 9.27 feet, more or less, to a point; thence,
325. Bearing S 35° 51' 51" W for a distance of 37.25 feet, more or less, to a point; thence,
326. Bearing S 17° 23' 37" W for a distance of 31.63 feet, more or less, to a point; thence,
327. Bearing S 26° 13' 54" W for a distance of 27.98 feet, more or less, to a point; thence,
328. Bearing S 37° 46' 26" W for a distance of 18.41 feet, more or less, to a point; thence,
329. Bearing S 57° 26' 37" W for a distance of 28.05 feet, more or less, to a point; thence,
330. Bearing S 69° 23' 12" W for a distance of 42.35 feet, more or less, to a point; thence,
331. Bearing S 72° 03' 40" W for a distance of 53.14 feet, more or less, to a point; thence,
332. Bearing S 60° 40' 47" W for a distance of 30.45 feet, more or less, to a point; thence,
333. Bearing S 34° 54' 10" W for a distance of 19.07 feet, more or less, to a point; thence,
334. Bearing S 09° 43' 53" W for a distance of 12.91 feet, more or less, to a point; thence,
335. Bearing S 21° 48' 19" E for a distance of 19.59 feet, more or less, to a point; thence,
336. Bearing S 32° 43' 45" E for a distance of 39.69 feet, more or less, to a point; thence,
337. Bearing S 18° 26' 04" E for a distance of 56.35 feet, more or less, to a point; thence,
338. Bearing S 00° 47' 39" W for a distance of 26.19 feet, more or less, to a point; thence,
339. Bearing S 20° 25' 47" W for a distance of 27.09 feet, more or less, to a point; thence,
340. Bearing S 34° 59' 42" W for a distance of 35.52 feet, more or less, to a point; thence,
341. Bearing S 29° 00' 42" W for a distance of 49.49 feet, more or less, to a point; thence,

- 342. Bearing S 23° 32' 44" W for a distance of 35.51 feet, more or less, to a point; thence,
- 343. Bearing S 08° 41' 45" W for a distance of 31.27 feet, more or less, to a point; thence,
- 344. Bearing S 03° 54' 01" W for a distance of 32.08 feet, more or less, to a point; thence,
- 345. Bearing S 13° 01' 49" W for a distance of 22.58 feet, more or less, to a point; thence,
- 346. Bearing S 33° 12' 25" W for a distance of 23.91 feet, more or less, to a point; thence,
- 347. Bearing S 49° 19' 25" W for a distance of 30.69 feet, more or less, to a point; thence,
- 348. Bearing S 64° 26' 27" W for a distance of 37.09 feet, more or less, to a point; thence,
- 349. Bearing S 71° 33' 58" W for a distance of 34.50 feet, more or less, to a point; thence,
- 350. Bearing S 63° 25' 53" W for a distance of 14.64 feet, more or less, to a point; thence,
- 351. Bearing S 27° 09' 01" W for a distance of 15.94 feet, more or less, to a point; thence,
- 352. Bearing S 00° 00' 00" W for a distance of 15.20 feet, more or less, to a point; thence,
- 353. Bearing S 14° 02' 07" E for a distance of 13.50 feet, more or less, to a point; thence,
- 354. Bearing S 34° 44' 19" E for a distance of 60.63 feet, more or less, to a point; thence,
- 355. Bearing S 26° 44' 43" E for a distance of 25.86 feet, more or less, to a point; thence,
- 356. Bearing S 06° 50' 37" E for a distance of 45.79 feet, more or less, to a point; thence,
- 357. Bearing S 23° 28' 35" E for a distance of 75.77 feet, more or less, to a point; thence,
- 358. Bearing S 45° 00' 00" E for a distance of 25.72 feet, more or less, to a point; thence,
- 359. Bearing S 48° 30' 12" E for a distance of 12.62 feet, more or less, to a point; thence,
- 360. Bearing S 21° 48' 15" E for a distance of 7.83 feet, more or less, to a point; thence,
- 361. Bearing S 20° 51' 32" W for a distance of 8.17 feet, more or less, to a point; thence,
- 362. Bearing S 35° 12' 53" W for a distance of 15.14 feet, more or less, to a point; thence,
- 363. Bearing S 71° 10' 38" W for a distance of 16.91 feet, more or less, to a point; thence,
- 364. Bearing S 82° 02' 23" W for a distance of 43.33 feet, more or less, to a point; thence,

- 365. Bearing S 79° 55' 10" W for a distance of 33.25 feet, more or less, to a point; thence,
- 366. Bearing S 66° 36' 07" W for a distance of 41.21 feet, more or less, to a point; thence,
- 367. Bearing S 50° 47' 36" W for a distance of 17.84 feet, more or less, to a point; thence,
- 368. Bearing S 25° 39' 35" W for a distance of 41.15 feet, more or less, to a point; thence,
- 369. Bearing S 37° 30' 15" W for a distance of 19.71 feet, more or less, to a point; thence,
- 370. Bearing S 85° 54' 59" W for a distance of 10.21 feet, more or less, to a point; thence,
- 371. Bearing N 36° 31' 53" W for a distance of 24.44 feet, more or less, to a point; thence,
- 372. Bearing N 41° 04' 46" W for a distance of 37.63 feet, more or less, to a point; thence,
- 373. Bearing N 61° 27' 42" W for a distance of 23.60 feet, more or less, to a point; thence,
- 374. Bearing N 85° 06' 04" W for a distance of 25.55 feet, more or less, to a point; thence,
- 375. Bearing S 88° 43' 37" W for a distance of 49.11 feet, more or less, to a point; thence,
- 376. Bearing N 73° 15' 01" W for a distance of 39.12 feet, more or less, to a point; thence,
- 377. Bearing N 62° 18' 54" W for a distance of 33.86 feet, more or less, to a point; thence,
- 378. Bearing S 85° 14' 08" W for a distance of 23.36 feet, more or less, to a point; thence,
- 379. Bearing S 45° 48' 07" W for a distance of 15.86 feet, more or less, to a point; thence,
- 380. Bearing S 18° 26' 02" W for a distance of 16.47 feet, more or less, to a point; thence,
- 381. Bearing S 07° 07' 28" W for a distance of 21.00 feet, more or less, to a point; thence,
- 382. Bearing S 05° 11' 40" W for a distance of 19.17 feet, more or less, to a point; thence,
- 383. Bearing S 11° 18' 31" W for a distance of 17.71 feet, more or less, to a point; thence,
- 384. Bearing S 39° 48' 22" W for a distance of 13.56 feet, more or less, to a point; thence,
- 385. Bearing S 65° 22' 39" W for a distance of 22.92 feet, more or less, to a point; thence,
- 386. Bearing S 75° 57' 54" W for a distance of 10.74 feet, more or less, to a point; thence,
- 387. Bearing S 42° 42' 30" W for a distance of 30.72 feet, more or less, to a point; thence,

388. Bearing S 54° 27' 42" W for a distance of 22.40 feet, more or less, to a point; thence,
389. Bearing S 35° 13' 06" W for a distance of 18.06 feet, more or less, to a point; thence,
390. Bearing S 86° 29' 48" W for a distance of 42.62 feet, more or less, to a point; thence,
391. Bearing S 81° 15' 15" W for a distance of 22.83 feet, more or less, to a point; thence,
392. Bearing S 60° 38' 32" W for a distance of 15.93 feet, more or less, to a point; thence,
393. Bearing S 57° 05' 38" W for a distance of 17.58 feet, more or less, to a point; thence,
394. Bearing S 43° 27' 07" W for a distance of 22.72 feet, more or less, to a point; thence,
395. Bearing S 06° 00' 31" W for a distance of 16.58 feet, more or less, to a point; thence,
396. Bearing S 13° 34' 10" E for a distance of 25.90 feet, more or less, to a point; thence,
397. Bearing S 09° 51' 55" E for a distance of 20.26 feet, more or less, to a point; thence,
398. Bearing S 00° 00' 00" W for a distance of 16.49 feet, more or less, to a point; thence,
399. Bearing S 45° 48' 25" E for a distance of 43.58 feet, more or less, to a point; thence,
400. Bearing S 45° 00' 06" E for a distance of 25.78 feet, more or less, to a point; thence,
401. Bearing S 27° 12' 58" E for a distance of 34.16 feet, more or less, to a point; thence,
402. Bearing S 13° 59' 35" E for a distance of 28.72 feet, more or less, to a point; thence,
403. Bearing S 03° 00' 52" W for a distance of 33.03 feet, more or less, to a point; thence,
404. Bearing S 14° 25' 12" W for a distance of 31.37 feet, more or less, to a point; thence,
405. Bearing S 34° 49' 27" W for a distance of 48.64 feet, more or less, to a point; thence,
406. Bearing S 46° 47' 23" W for a distance of 39.30 feet, more or less, to a point; thence,
407. Bearing S 35° 45' 16" W for a distance of 26.74 feet, more or less, to a point; thence,
408. Bearing S 23° 11' 49" W for a distance of 26.44 feet, more or less, to a point; thence,
409. Bearing S 19° 32' 21" W for a distance of 28.55 feet, more or less, to a point; thence,
410. Bearing S 03° 34' 34" W for a distance of 13.92 feet, more or less, to a point; thence,

411. Bearing S 51° 20' 36" E for a distance of 11.12 feet, more or less, to a point; thence,
412. Bearing S 78° 37' 14" E for a distance of 17.16 feet, more or less, to a point; thence,
413. Bearing S 86° 43' 45" E for a distance of 51.35 feet, more or less, to a point; thence,
414. Bearing S 87° 23' 50" E for a distance of 32.26 feet, more or less, to a point; thence,
415. Bearing S 61° 08' 34" E for a distance of 27.32 feet, more or less, to a point; thence,
416. Bearing S 32° 33' 04" E for a distance of 27.23 feet, more or less, to a point; thence,
417. Bearing S 18° 46' 43" E for a distance of 25.79 feet, more or less, to a point; thence,
418. Bearing S 00° 39' 07" W for a distance of 42.97 feet, more or less, to a point; thence,
419. Bearing S 14° 51' 15" E for a distance of 32.38 feet, more or less, to a point; thence,
420. Bearing S 12° 24' 24" E for a distance of 25.00 feet, more or less, to a point; thence,
421. Bearing S 15° 02' 17" E for a distance of 33.87 feet, more or less, to a point; thence,
422. Bearing S 45° 00' 06" E for a distance of 23.48 feet, more or less, to a point; thence,
423. Bearing S 65° 09' 21" E for a distance of 29.06 feet, more or less, to a point; thence,
424. Bearing S 52° 56' 40" E for a distance of 29.98 feet, more or less, to a point; thence,
425. Bearing S 28° 58' 08" E for a distance of 31.25 feet, more or less, to a point; thence,
426. Bearing S 14° 59' 38" E for a distance of 28.31 feet, more or less, to a point; thence,
427. Bearing S 14° 49' 51" E for a distance of 24.80 feet, more or less, to a point; thence,
428. Bearing S 29° 03' 14" E for a distance of 40.22 feet, more or less, to a point; thence,
429. Bearing S 35° 32' 17" E for a distance of 33.60 feet, more or less, to a point; thence,
430. Bearing S 41° 17' 02" E for a distance of 26.64 feet, more or less, to a point; thence,
431. Bearing S 56° 18' 36" E for a distance of 26.41 feet, more or less, to a point; thence,
432. Bearing S 81° 19' 34" E for a distance of 29.14 feet, more or less, to a point; thence,
433. Bearing S 87° 23' 50" E for a distance of 32.26 feet, more or less, to a point; thence,

434. Bearing S 75° 57' 46" E for a distance of 26.17 feet, more or less, to a point; thence,
435. Bearing S 54° 54' 21" E for a distance of 22.08 feet, more or less, to a point; thence,
436. Bearing S 33° 33' 18" E for a distance of 34.45 feet, more or less, to a point; thence,
437. Bearing S 36° 36' 22" E for a distance of 21.29 feet, more or less, to a point; thence,
438. Bearing S 57° 46' 18" E for a distance of 26.55 feet, more or less, to a point; thence,
439. Bearing S 71° 33' 56" E for a distance of 35.51 feet, more or less, to a point; thence,
440. Bearing S 78° 41' 24" E for a distance of 34.86 feet, more or less, to a point; thence,
441. Bearing S 63° 58' 12" E for a distance of 23.37 feet, more or less, to a point; thence,
442. Bearing S 46° 18' 09" E for a distance of 30.39 feet, more or less, to a point; thence,
443. Bearing S 44° 27' 15" E for a distance of 72.51 feet, more or less, to a point; thence,
444. Bearing S 43° 45' 00" E for a distance of 39.54 feet, more or less, to a point; thence,
445. Bearing S 57° 20' 56" E for a distance of 59.73 feet, more or less, to a point; thence,
446. Bearing S 47° 34' 43" E for a distance of 38.36 feet, more or less, to a point; thence,
447. Bearing S 29° 28' 34" E for a distance of 38.70 feet, more or less, to a point; thence,
448. Bearing S 21° 48' 05" E for a distance of 36.81 feet, more or less, to a point; thence,
449. Bearing S 10° 58' 42" E for a distance of 23.08 feet, more or less, to a point; thence,
450. Bearing S 11° 18' 37" W for a distance of 24.90 feet, more or less, to a point; thence,
451. Bearing S 26° 50' 02" W for a distance of 46.51 feet, more or less, to a point; thence,
452. Bearing S 37° 16' 00" W for a distance of 28.22 feet, more or less, to a point; thence,
453. Bearing S 36° 42' 11" W for a distance of 33.50 feet, more or less, to a point; thence,
454. Bearing S 21° 10' 49" W for a distance of 35.14 feet, more or less, to a point; thence,
455. Bearing S 20° 01' 07" W for a distance of 134.08 feet, more or less, to a point; thence,
456. Bearing S 19° 31' 05" W for a distance of 48.23 feet, more or less, to a point; thence,

457. Bearing S 17° 18' 41" W for a distance of 78.76 feet, more or less, to a point; thence,
458. Bearing S 19° 08' 02" W for a distance of 50.65 feet, more or less, to a point; thence,
459. Bearing S 27° 01' 54" W for a distance of 26.86 feet, more or less, to a point; thence,
460. Bearing S 46° 50' 47" W for a distance of 21.42 feet, more or less, to a point; thence,
461. Bearing S 62° 26' 52" W for a distance of 12.67 feet, more or less, to a point; thence,
462. Bearing S 80° 45' 14" W for a distance of 21.27 feet, more or less, to a point; thence,
463. Bearing N 87° 06' 21" W for a distance of 87.03 feet, more or less, to a point; thence,
464. Bearing S 86° 11' 08" W for a distance of 22.02 feet, more or less, to a point; thence,
465. Bearing S 72° 11' 00" W for a distance of 14.36 feet, more or less, to a point; thence,
466. Bearing S 54° 05' 23" W for a distance of 17.48 feet, more or less, to a point; thence,
467. Bearing S 44° 31' 59" W for a distance of 24.56 feet, more or less, to a point; thence,
468. Bearing N 90° 00' 00" W for a distance of 53.87 feet, more or less, to a point; thence,
469. Bearing S 38° 15' 14" W for a distance of 881.43 feet, more or less, to a point; thence,
470. Bearing N 89° 48' 23" E for a distance of 32.83 feet, more or less, to a point; thence,
471. Bearing S 31° 51' 58" E for a distance of 65.47 feet, more or less, to a point; thence,
472. Bearing S 45° 00' 00" E for a distance of 51.00 feet, more or less, to a point; thence,
473. Bearing N 90° 00' 00" W for a distance of 105.19 feet, more or less, to a point; thence,
474. Bearing S 01° 04' 25" W for a distance of 532.10 feet, more or less, to a point; thence,
475. Bearing S 88° 16' 59" E for a distance of 597.29 feet, more or less, to a point; thence,
476. Bearing S 00° 42' 26" W for a distance of 828.48 feet, more or less, to a point; thence,
477. Bearing S 00° 52' 05" W for a distance of 421.93 feet, more or less, to a point; thence,
478. Bearing S 00° 46' 54" W for a distance of 581.64 feet, more or less, to a point; thence,
479. Bearing S 59° 13' 10" W for a distance of 69.71 feet, more or less, to a point; thence,

480. Bearing S 59° 21' 12" W for a distance of 706.29 feet, more or less, to a point; thence,
481. Bearing S 59° 08' 12" W for a distance of 708.90 feet, more or less, to a point; thence,
482. Bearing S 70° 52' 21" W for a distance of 79.47 feet, more or less, to a point; thence,
483. Bearing S 80° 34' 59" W for a distance of 108.23 feet, more or less, to a point; thence,
484. Bearing N 89° 25' 02" W for a distance of 851.51 feet, more or less, to a point; thence,
485. Bearing N 88° 41' 17" W for a distance of 1069.72 feet, more or less, to a point; thence,
486. Bearing N 88° 57' 17" W for a distance of 522.23 feet, more or less, to a point; thence,
487. Bearing N 00° 02' 32" W for a distance of 285.95 feet, more or less, to a point; thence,
488. Bearing N 00° 02' 32" W for a distance of 1078.45 feet, more or less, to a point; thence,
489. Bearing N 89° 16' 00" W for a distance of 950.06 feet, more or less, to a point; thence,
490. Bearing N 89° 16' 00" W for a distance of 315.11 feet, more or less, to a point; thence,
491. Bearing N 00° 23' 31" E for a distance of 1294.67 feet, more or less, to a point; thence,
492. Bearing N 00° 09' 50" E for a distance of 741.85 feet, more or less, to a point; thence,
493. Bearing N 89° 44' 35" W for a distance of 236.67 feet, more or less, to a point; thence,
494. Bearing N 00° 14' 02" W for a distance of 1005.47 feet, more or less, to a point; thence,
495. Bearing S 89° 28' 51" E for a distance of 1497.01 feet, more or less, to a point; thence,
496. Bearing N 00° 59' 16" E for a distance of 553.90 feet, more or less, to a point; thence,
497. Bearing N 00° 38' 17" E for a distance of 389.78 feet, more or less, to a point; thence,
498. Bearing S 88° 01' 06" E for a distance of 2029.95 feet, more or less, to a point; thence,
499. Bearing N 07° 43' 18" E for a distance of 291.88 feet, more or less, to a point; thence,
500. Bearing N 07° 43' 19" E for a distance of 758.96 feet, more or less, to a point; thence,
501. Bearing N 13° 02' 53" W for a distance of 288.47 feet, more or less, to a point; thence,
502. Bearing N 13° 31' 26" W for a distance of 412.89 feet, more or less, to a point; thence,

503. Bearing N 17° 36' 11" W for a distance of 741.01 feet, more or less, to a point; thence,
504. Bearing N 17° 56' 23" W for a distance of 279.45 feet, more or less, to a point; thence,
505. Bearing N 88° 41' 41" E for a distance of 626.10 feet, more or less, to a point; thence,
506. Bearing N 01° 05' 15" W for a distance of 1485.18 feet, more or less, to a point; thence,
507. Bearing N 49° 47' 08" E for a distance of 4.01 feet, more or less, to a point; thence,
508. Bearing N 01° 12' 22" W for a distance of 585.16 feet, more or less, to a point; thence,
509. Bearing N 84° 30' 46" E for a distance of 416.20 feet, more or less, to a point; thence,
510. Bearing N 00° 47' 19" W for a distance of 448.81 feet, more or less, to a point; thence,
511. Bearing N 00° 47' 20" W for a distance of 280.00 feet, more or less, to a point; thence,
512. Bearing N 52° 12' 41" E for a distance of 389.49 feet, more or less, to a point; thence,
513. Bearing N 00° 47' 19" W for a distance of 1355.63 feet, more or less, to a point; thence,
514. Bearing N 89° 01' 44" E for a distance of 326.16 feet, more or less, to a point; thence,
515. Bearing N 89° 19' 34" E for a distance of 394.71 feet, more or less, to a point; thence,
516. Bearing N 89° 30' 49" E for a distance of 200.29 feet, more or less, to a point; thence,
517. Bearing N 07° 49' 48" E for a distance of 361.99 feet, more or less, to a point; thence,
518. Bearing N 10° 20' 20" W for a distance of 215.35 feet, more or less, to a point; thence,
519. Bearing N 00° 00' 00" E for a distance of 420.84 feet, more or less, to a point; thence,
520. Bearing N 33° 52' 42" W for a distance of 120.69 feet, more or less, to a point; thence,
521. Bearing N 17° 05' 22" W for a distance of 113.25 feet, more or less, to a point; thence,
522. Bearing N 16° 21' 08" E for a distance of 186.85 feet, more or less, to a point; thence,
523. Bearing N 16° 37' 53" E for a distance of 86.28 feet, more or less, to a point; thence,
524. Bearing N 08° 41' 16" W for a distance of 32.74 feet, more or less, to a point; thence,
525. Bearing S 78° 44' 40" W for a distance of 414.19 feet, more or less, to a point; thence,

526. Bearing S 72° 47' 23" W for a distance of 260.00 feet, more or less, to a point; thence,
527. Bearing S 36° 18' 08" W for a distance of 171.45 feet, more or less, to a point; thence,
528. Bearing S 73° 39' 56" W for a distance of 483.30 feet, more or less, to a point; thence,
529. Bearing N 12° 06' 10" W for a distance of 155.00 feet, more or less, to a point; thence,
530. Bearing S 00° 58' 16" E for a distance of 1231.38 feet, more or less, to a point; thence,
531. Bearing S 89° 01' 44" W for a distance of 30.80 feet, more or less, to a point; thence,
532. Bearing S 89° 37' 58" W for a distance of 362.19 feet, more or less, to a point; thence,
533. Bearing S 00° 57' 10" E for a distance of 128.98 feet, more or less, to a point; thence,
534. Bearing S 86° 13' 02" W for a distance of 321.07 feet, more or less, to a point; thence,
535. Bearing S 55° 13' 04" W for a distance of 169.00 feet, more or less, to a point; thence,
536. Bearing S 05° 43' 02" W for a distance of 223.00 feet, more or less, to a point; thence,
537. Bearing S 52° 13' 01" W for a distance of 257.00 feet, more or less, to a point; thence,
538. Bearing S 69° 58' 01" W for a distance of 453.42 feet, more or less, to a point; thence,
539. Bearing S 67° 42' 53" W for a distance of 58.08 feet, more or less, to a point; thence,
540. Bearing S 79° 43' 07" W for a distance of 79.20 feet, more or less, to a point; thence,
541. Bearing N 82° 31' 59" W for a distance of 198.00 feet, more or less, to a point; thence,
542. Bearing N 84° 31' 59" W for a distance of 381.48 feet, more or less, to a point; thence,
543. Bearing N 53° 02' 00" W for a distance of 226.38 feet, more or less, to a point; thence,
544. Bearing N 62° 16' 51" W for a distance of 71.94 feet, more or less, to a point; thence,
545. Bearing N 83° 02' 01" W for a distance of 121.44 feet, more or less, to a point; thence,
546. Bearing N 86° 31' 59" W for a distance of 279.82 feet, more or less, to a point; thence,
547. Bearing S 00° 00' 00" W for a distance of 113.87 feet, more or less, to a point; thence,
548. Bearing N 87° 21' 13" W for a distance of 295.12 feet, more or less, to a point; thence,

549. Bearing S 89° 26' 37" W for a distance of 114.49 feet, more or less, to a point; thence,
550. Bearing S 87° 34' 15" W for a distance of 183.56 feet, more or less, to a point; thence,
551. Bearing N 87° 47' 51" W for a distance of 57.84 feet, more or less, to a point; thence,
552. Bearing N 73° 56' 25" W for a distance of 76.34 feet, more or less, to a point; thence,
553. Bearing N 67° 56' 57" W for a distance of 284.21 feet, more or less, to a point; thence,
554. Bearing N 64° 09' 19" W for a distance of 79.04 feet, more or less, to a point; thence,
555. Bearing N 58° 14' 26" W for a distance of 82.36 feet, more or less, to a point; thence,
556. Bearing N 49° 14' 11" W for a distance of 85.11 feet, more or less, to a point; thence,
557. Bearing N 68° 50' 16" W for a distance of 36.95 feet, more or less, to a point; thence,
558. Bearing S 72° 16' 20" W for a distance of 142.36 feet, more or less, to a point; thence,
559. Bearing S 66° 57' 38" W for a distance of 105.08 feet, more or less, to a point; thence,
560. Bearing N 42° 38' 27" W for a distance of 210.02 feet, more or less, to a point; thence,
561. Bearing N 52° 47' 19" W for a distance of 32.04 feet, more or less, to a point; thence,
562. Bearing N 00° 18' 41" W for a distance of 319.45 feet, more or less, to a point; thence,
563. Bearing N 00° 48' 10" W for a distance of 197.11 feet, more or less, to a point; thence,
564. Bearing N 00° 39' 51" W for a distance of 2094.07 feet, more or less, to a point; thence,
565. Bearing S 71° 28' 34" W for a distance of 45.25 feet, more or less, to a point; thence,
566. Bearing S 70° 48' 30" W for a distance of 447.99 feet, more or less, to a point; thence,
567. Bearing S 73° 22' 19" W for a distance of 389.22 feet, more or less, to a point; thence,
568. Bearing S 77° 00' 20" W for a distance of 124.85 feet, more or less, to a point; thence,
569. Bearing N 03° 38' 01" W for a distance of 191.44 feet, more or less, to a point; thence,
570. Bearing N 87° 46' 48" W for a distance of 271.00 feet, more or less, to a point; thence,
571. Bearing N 10° 47' 05" W for a distance of 269.66 feet, more or less, to a point; thence,

- 572. Bearing S 88° 54' 56" W for a distance of 10.81 feet, more or less, to a point; thence,
- 573. Bearing N 01° 36' 45" W for a distance of 325.23 feet, more or less, to a point; thence,
- 574. Bearing N 01° 36' 45" W for a distance of 640.99 feet, more or less, to a point; thence,
- 575. Bearing N 89° 46' 11" E for a distance of 1311.97 feet, more or less, to a point; thence,
- 576. Bearing S 89° 57' 46" E for a distance of 945.75 feet, more or less, to a point; thence,
- 577. Bearing N 01° 29' 46" W for a distance of 282.30 feet, more or less, to a point; thence,
- 578. Bearing N 11° 39' 13" E for a distance of 182.45 feet, more or less, to a point; thence,
- 579. Bearing N 02° 40' 01" W for a distance of 271.56 feet, more or less, to a point; thence,
- 580. Bearing N 10° 10' 35" W for a distance of 582.74 feet, more or less, to a point; thence,
- 581. Bearing N 89° 09' 47" W for a distance of 1153.26 feet, more or less, to a point; thence,
- 582. Bearing N 01° 08' 24" W for a distance of 1317.20 feet, more or less, to a point; thence,
- 583. Bearing N 89° 53' 07" W for a distance of 642.39 feet, more or less, to a point; thence,
- 584. Bearing N 00° 12' 25" E for a distance of 593.81 feet, more or less, to a point; thence,
- 585. Bearing N 00° 04' 12" W for a distance of 98.92 feet, more or less, to a point; thence,
- 586. Bearing S 59° 54' 43" E for a distance of 41.49 feet, more or less, to a point; thence,
- 587. Bearing N 88° 25' 50" E for a distance of 24.50 feet, more or less, to a point; thence,
- 588. Bearing N 75° 57' 52" E for a distance of 20.75 feet, more or less, to a point; thence,
- 589. Bearing N 66° 43' 16" E for a distance of 31.41 feet, more or less, to a point; thence,
- 590. Bearing N 59° 18' 53" E for a distance of 71.00 feet, more or less, to a point; thence,
- 591. Bearing N 69° 58' 11" E for a distance of 34.28 feet, more or less, to a point; thence,
- 592. Bearing N 84° 35' 42" E for a distance of 24.94 feet, more or less, to a point; thence,
- 593. Bearing S 83° 50' 38" E for a distance of 34.42 feet, more or less, to a point; thence,
- 594. Bearing S 73° 45' 45" E for a distance of 35.99 feet, more or less, to a point; thence,

595. Bearing S 62° 37' 37" E for a distance of 87.27 feet, more or less, to a point; thence,
596. Bearing S 78° 36' 54" E for a distance of 100.27 feet, more or less, to a point; thence,
597. Bearing S 68° 23' 29" E for a distance of 55.57 feet, more or less, to a point; thence,
598. Bearing S 78° 47' 58" E for a distance of 34.54 feet, more or less, to a point; thence,
599. Bearing N 80° 02' 57" E for a distance of 19.42 feet, more or less, to a point; thence,
600. Bearing N 77° 34' 30" E for a distance of 20.27 feet, more or less, to a point; thence,
601. Bearing N 66° 27' 35" E for a distance of 36.96 feet, more or less, to a point; thence,
602. Bearing N 66° 18' 43" E for a distance of 56.79 feet, more or less, to a point; thence,
603. Bearing N 88° 21' 49" E for a distance of 23.50 feet, more or less, to a point; thence,
604. Bearing S 78° 01' 15" E for a distance of 11.32 feet, more or less, to a point; thence,
605. Bearing S 66° 36' 19" E for a distance of 51.54 feet, more or less, to a point; thence,
606. Bearing S 74° 57' 28" E for a distance of 55.58 feet, more or less, to a point; thence,
607. Bearing S 64° 56' 07" E for a distance of 49.26 feet, more or less, to a point; thence,
608. Bearing S 87° 16' 26" E for a distance of 42.32 feet, more or less, to a point; thence,
609. Bearing S 63° 26' 06" E for a distance of 23.26 feet, more or less, to a point; thence,
610. Bearing S 76° 19' 43" E for a distance of 25.55 feet, more or less, to a point; thence,
611. Bearing S 41° 29' 54" E for a distance of 11.65 feet, more or less, to a point; thence,
612. Bearing S 30° 27' 44" E for a distance of 19.85 feet, more or less, to a point; thence,
613. Bearing S 62° 47' 06" E for a distance of 13.20 feet, more or less, to a point; thence,
614. Bearing S 88° 25' 50" E for a distance of 24.50 feet, more or less, to a point; thence,
615. Bearing N 82° 24' 19" E for a distance of 20.31 feet, more or less, to a point; thence,
616. Bearing S 85° 14' 11" E for a distance of 16.16 feet, more or less, to a point; thence,
617. Bearing S 59° 02' 12" E for a distance of 21.52 feet, more or less, to a point; thence,

618. Bearing S 37° 59' 26" E for a distance of 58.32 feet, more or less, to a point; thence,
619. Bearing S 54° 07' 21" E for a distance of 17.80 feet, more or less, to a point; thence,
620. Bearing S 68° 28' 54" E for a distance of 63.11 feet, more or less, to a point; thence,
621. Bearing S 83° 59' 28" E for a distance of 38.46 feet, more or less, to a point; thence,
622. Bearing N 81° 36' 26" E for a distance of 62.06 feet, more or less, to a point; thence,
623. Bearing N 88° 29' 33" E for a distance of 25.51 feet, more or less, to a point; thence,
624. Bearing S 73° 40' 38" E for a distance of 48.94 feet, more or less, to a point; thence,
625. Bearing S 86° 55' 55" E for a distance of 37.63 feet, more or less, to a point; thence,
626. Bearing N 72° 20' 51" E for a distance of 15.49 feet, more or less, to a point; thence,
627. Bearing N 66° 38' 40" E for a distance of 48.24 feet, more or less, to a point; thence,
628. Bearing N 76° 12' 59" E for a distance of 18.31 feet, more or less, to a point; thence,
629. Bearing S 81° 15' 17" E for a distance of 13.24 feet, more or less, to a point; thence,
630. Bearing S 67° 02' 22" E for a distance of 73.96 feet, more or less, to a point; thence,
631. Bearing S 78° 41' 28" E for a distance of 32.50 feet, more or less, to a point; thence,
632. Bearing S 57° 41' 26" E for a distance of 26.99 feet, more or less, to a point; thence,
633. Bearing S 69° 16' 45" E for a distance of 13.27 feet, more or less, to a point; thence,
634. Bearing N 90° 00' 00" E for a distance of 13.76 feet, more or less, to a point; thence,
635. Bearing N 68° 37' 30" E for a distance of 8.29 feet, more or less, to a point; thence,
636. Bearing N 73° 44' 23" E for a distance of 17.07 feet, more or less, to a point; thence,
637. Bearing S 82° 16' 14" E for a distance of 17.79 feet, more or less, to a point; thence,
638. Bearing S 01° 42' 21" E for a distance of 460.97 feet, more or less, to a point; thence,
639. Bearing S 89° 42' 25" E for a distance of 885.37 feet, more or less, to a point; thence,
640. Bearing S 89° 18' 00" E for a distance of 249.53 feet, more or less, to a point; thence,

641. Bearing S 89° 31' 17" E for a distance of 876.88 feet, more or less, to a point; thence,
642. Bearing N 00° 55' 38" E for a distance of 1303.05 feet, more or less, to a point; thence,
643. Bearing S 89° 03' 21" E for a distance of 135.55 feet, more or less, to a point; thence,
644. Bearing N 01° 16' 25" W for a distance of 1321.04 feet, more or less, to a point; thence,
645. Bearing N 89° 01' 27" E for a distance of 499.45 feet, more or less, to a point; thence,
646. Bearing N 01° 23' 20" W for a distance of 503.23 feet, more or less, to a point; thence,
647. Bearing N 88° 53' 52" E for a distance of 962.67 feet, more or less, to a point; thence,
648. Bearing N 88° 54' 29" E for a distance of 485.48 feet, more or less, to a point; thence,
649. Bearing N 88° 51' 25" E for a distance of 590.89 feet, more or less, to a point; thence,
650. Bearing N 88° 47' 51" E for a distance of 804.87 feet, more or less, to a point; thence,
651. Bearing N 88° 54' 34" E for a distance of 647.15 feet, more or less, to a point; thence,
652. Bearing N 88° 52' 21" E for a distance of 442.25 feet, more or less, to a point; thence,
653. Bearing N 88° 43' 28" E for a distance of 374.06 feet, more or less, to a point; thence,
654. Bearing N 88° 53' 15" E for a distance of 195.30 feet, more or less, to a point; thence,
655. Bearing S 06° 13' 44" W for a distance of 270.84 feet, more or less, to a point; thence,
656. Bearing N 89° 29' 04" E for a distance of 255.69 feet, more or less, to a point; thence,
657. Bearing N 27° 17' 59" E for a distance of 71.36 feet, more or less, to a point; thence,
658. Bearing N 58° 39' 25" W for a distance of 192.19 feet, more or less, to a point; thence,
659. Bearing N 25° 00' 45" E for a distance of 117.37 feet, more or less, to a point; thence,
660. Bearing N 25° 00' 45" E for a distance of 92.09 feet, more or less, to a point; thence,
661. Bearing N 25° 00' 45" E for a distance of 22.19 feet, more or less, to a point; thence,
662. Bearing S 58° 41' 22" E for a distance of 191.19 feet, more or less, to a point; thence,
663. Bearing S 58° 41' 22" E for a distance of 191.19 feet, more or less, to a point; thence,

664. Bearing S 58° 41' 22" E for a distance of 35.92 feet, more or less, to the Point of Beginning.

Using the New York State Plane NAD 83, west zone, U.S. Survey foot coordinate system, beginning at Point 'B', whose Northing is 1021167.5421' and whose Easting is 1330836.6903'; thence,

1. Bearing N 00° 43' 32" W for a distance of 1,136.23 feet, more or less, to a point; thence,
2. Bearing N 89° 00' 44" E for a distance of 568.40 feet, more or less, to a point; thence,
3. Bearing N 88° 48' 10" E for a distance of 820.80 feet, more or less, to a point; thence,
4. Bearing S 00° 01' 07" E for a distance of 1,670.09 feet, more or less, to a point; thence,
5. Bearing N 70° 55' 24" W for a distance of 2.41 feet, more or less, to a point; thence,
6. Bearing S 00° 03' 31" W for a distance of 408.38 feet, more or less, to a point; thence,
7. Bearing N 89° 16' 39" W for a distance of 1,357.92 feet, more or less, to a point; thence,
8. Bearing N 89° 14' 25" W for a distance of 288.80 feet, more or less, to a point; thence,
9. Bearing N 00° 31' 01" W for a distance of 424.53 feet, more or less, to a point; thence,
10. Bearing N 42° 38' 48" W for a distance of 79.15 feet, more or less, to a point; thence,
11. Bearing N 02° 09' 40" E for a distance of 162.50 feet, more or less, to a point; thence,
12. Bearing N 37° 41' 39" W for a distance of 85.19 feet, more or less, to a point; thence,
13. Bearing N 18° 19' 09" W for a distance of 324.12 feet, more or less, to a point; thence,
14. Bearing N 12° 26' 47" E for a distance of 15.91 feet, more or less, to a point; thence,
15. Bearing N 12° 26' 47" E for a distance of 26.10 feet, more or less, to a point; thence,
16. Bearing S 70° 35' 15" E for a distance of 207.07 feet, more or less, to a point; thence,
17. Bearing S 70° 15' 01" E for a distance of 292.33 feet, more or less, to the Point of Beginning.

Leicester Water District, as described above, contains approximately 3,966.60 acres of land.

The following parcels have been excluded from the proposed district:

87.-1-38.211

87.-1-38.212

78.-1-33

All as shown on a map prepared by CPL, entitled “Town of Leicester West Town Water District”, dated January 9, 2026.

Appendix B

Opinion of Probable Costs

TOWN OF LEICESTER
WEST TOWN WATER DISTRICT COST SUMMARY
January 6, 2026

| | |
|--|---------------------|
| Base Project (8 Inch) = | \$ 2,532,705 |
| Area 2 (8 Inch) = | \$ 617,400 |
| Area 3 (8 Inch) = | \$ 1,901,130 |
| Construction Subtotal = | \$ 5,051,235 |
| Contingency (20%) = | \$ 1,010,247 |
| Legal, Engineering, Administration = | \$ 909,222 |
| Total = | \$ 6,970,704 |
| Total Estimated Capital Cost = | \$ 6,971,000 |
| Grant = | \$ (4,879,700) |
| USDA-RD Loan = | \$ 2,091,300 |
| Estimated Debt Service for 38yrs = | \$ 104,129 |
| Number of Single Units = | 150.2 |
| Estimated Debt Service/Unit/Year = | \$ 693.27 |
| Base Charge (\$51 per Quarter) | \$ 204 |
| Usage Charge (\$5.05 per 1,000 gallons, 60,000 gallons/year) = | \$ 303 |
| Estimated Yearly Water Cost = | \$ 507.00 |
| Total Unit Cost = | \$ 1,200.27 |

Notes:

1. The LCWSA will construct the transmission main along Perry Road and Gibsonville Road as part of the Regional Water Project.
2. Assumes that when the district is created and constructed, the units along the LCWSA transmission main will share in the overall district debt service.
3. 2026 limit from the NYS Comptroller is \$1,213.

TOWN OF LEICESTER
COST ESTIMATE

1/9/2026

Proposed 5 Corners Water District - Base Project

| ITEM | DESCRIPTION | UNIT | ESTIMATED QUANTITY | ESTIMATED UNIT PRICE | ESTIMATED TOTAL |
|------|---|------|--------------------|----------------------|-----------------|
| 1 | Furnish and Install 8-Inch Water Main | LF | 25,785 | \$ 60.00 | \$1,547,100.00 |
| 2 | Furnish and Install Hydrant Assembly | EA | 40 | \$ 7,000.00 | \$ 280,000.00 |
| 3 | Furnish and Install 8-Inch Gate Valves Complete | EA | 25 | \$ 3,000.00 | \$ 75,000.00 |
| 4 | Furnish and Install Water Services | EA | 110 | \$ 2,000.00 | \$ 220,000.00 |
| 5 | Directional Drilling 8-Inch HDPE DR 9 | LF | 800 | \$ 300.00 | \$ 240,000.00 |
| 6 | New Water Connection to Existing Main | EA | 5 | \$ 10,000.00 | \$ 50,000.00 |
| 7 | Maintenance and Protection of Traffic Including Signs and Flagmen Meeting NYSDOT Requirements | LS | 1 | \$ 72,363.00 | \$ 72,363.00 |
| 8 | Mobilization | LS | 1 | \$ 48,242.00 | \$ 48,242.00 |

SUBTOTAL = \$2,532,705.00

TOWN OF LEICESTER
COST ESTIMATE

1/9/2026

Proposed 5 Corners Water District - Area 2

| ITEM | DESCRIPTION | UNIT | ESTIMATED QUANTITY | ESTIMATED UNIT PRICE | ESTIMATED TOTAL |
|------|---|------|--------------------|----------------------|-----------------|
| 1 | Furnish and Install 8-Inch Water Main | LF | 6,950 | \$ 60.00 | \$ 417,000.00 |
| 2 | Furnish and Install Hydrant Assembly | EA | 11 | \$ 7,000.00 | \$ 77,000.00 |
| 3 | Furnish and Install 8-Inch Gate Valves Complete | EA | 6 | \$ 3,000.00 | \$ 18,000.00 |
| 4 | Furnish and Install Water Services | EA | 8 | \$ 2,000.00 | \$ 16,000.00 |
| 5 | Directional Drilling 8-Inch HDPE DR 9 | LF | 200 | \$ 300.00 | \$ 60,000.00 |
| 6 | Maintenance and Protection of Traffic Including Signs and Flagmen Meeting NYSDOT Requirements | LS | 1 | \$ 17,640.00 | \$ 17,640.00 |
| 7 | Mobilization | LS | 1 | \$ 11,760.00 | \$ 11,760.00 |

SUBTOTAL = \$ 617,400.00

TOWN OF LEICESTER
COST ESTIMATE

1/9/2026

Proposed 5 Corners Water District - Area 3

| ITEM | DESCRIPTION | UNIT | ESTIMATED QUANTITY | ESTIMATED UNIT PRICE | ESTIMATED TOTAL |
|------|---|------|--------------------|----------------------|-----------------|
| 1 | Furnish and Install 8-Inch Water Main | LF | 15,510 | \$ 60.00 | \$ 930,600.00 |
| 2 | Furnish and Install Hydrant Assembly | EA | 20 | \$ 7,000.00 | \$ 140,000.00 |
| 3 | Furnish and Install 8-Inch Gate Valves Complete | EA | 14 | \$ 3,000.00 | \$ 42,000.00 |
| 4 | Furnish and Install Water Services | EA | 19 | \$ 2,000.00 | \$ 38,000.00 |
| 5 | Directional Drilling 8-Inch HDPE DR 9 | LF | 1,000 | \$ 500.00 | \$ 500,000.00 |
| 6 | Borig and Casing Pipe | LF | 300 | \$ 500.00 | \$ 150,000.00 |
| 7 | New Water Connection to Existing Main | EA | 1 | \$ 10,000.00 | \$ 10,000.00 |
| 8 | Maintenance and Protection of Traffic Including Signs and Flagmen Meeting NYSDOT Requirements | LS | 1 | \$ 54,318.00 | \$ 54,318.00 |
| 9 | Mobilization | LS | 1 | \$ 36,212.00 | \$ 36,212.00 |

SUBTOTAL = \$1,901,130.00

Appendix C

Unit Tables

| Tax ID | Property Address | Municipality | Zip Code | Owner Name | Owner Address | Owner City | Property Code | Units | NYS Ag | Comment | Full Market Value |
|--------------|----------------------|--------------|----------|--------------------------|----------------------|-----------------------|---------------|--------|--------|---------|-------------------|
| 87.-1-33.2 | 2270 Leicester Rd | Leicester | 14481 | Agrietdomus Incorporated | 2490 Jones Bridge Rd | Leicester, NY 14481 | 450 | 1 | | | \$ 98,000 |
| 87.-1-47.22 | 2169 Leicester Rd | Leicester | 14481 | Ayers, Daniel | 2169 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 73,800 |
| 87.-1-47.22 | 2169 Leicester Rd | Leicester | 14481 | Ayers, Denise | 2169 Leicester Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 73,800 |
| 87.-1-46.121 | 2261 Leicester Rd | Leicester | 14481 | Banach, Paul S. | 2261 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 83,200 |
| 87.-1-46.121 | 2261 Leicester Rd | Leicester | 14481 | Banach, Danielle | 2261 Leicester Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 83,200 |
| 96.-1-42 | 5576 Gibsonville Rd | Leicester | 14481 | Barber, Herbert L. Jr | 5576 Gibsonville Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 39,000 |
| 87.-1-14.12 | 4853 Cone Rd | Leicester | 14481 | Bauer, Joseph J. Jr | 4853 Cone Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 146,350 |
| 87.-1-14.12 | 4853 Cone Rd | Leicester | 14481 | Bauer, Kristi | 4853 Cone Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 146,350 |
| 96.-1-36.504 | 2100 Perry Rd | Leicester | 14481 | Benson, William J. Jr | 3134 Geneseo Rd | Mt Morris, NY 14510 | 449 | 0.5 | | | \$ 44,800 |
| 96.-1-36.504 | 2100 Perry Rd | Leicester | 14481 | Benson, Deborah | 3134 Geneseo Rd | Mt Morris, NY 14510 | 449 | Linked | | | \$ 44,800 |
| 87.-1-48.3 | 2242 Dunkley Rd | Leicester | 14481 | Beresford, Stephen G. | 2242 Dunkley Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 99,950 |
| 87.-1-48.3 | 2242 Dunkley Rd | Leicester | 14481 | Beresford, Denise | 2242 Dunkley Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 99,950 |
| 87.-1-13.21 | 2050 Coverdale Rd | Leicester | 14481 | Biondo, Frank A. III | 2050 Coverdale Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 138,000 |
| 87.-1-41 | 2202 Leicester Rd | Leicester | 14481 | Bockold, Michael | 2202 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 138,550 |
| 87.-1-41 | 2202 Leicester Rd | Leicester | 14481 | DeVries, Molly | 2202 Leicester Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 138,550 |
| 78.-1-34.12 | 2373 New Rd | Leicester | 14481 | Boor, Ross J. Jr | 2373 New Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 158,100 |
| 96.-1-16.11 | 2168 Jones Bridge Rd | Leicester | 14481 | Boyd, Alvin | 2168 Jones Bridge Rd | Leicester, NY 14481 | 241 | 1 | Yes | | \$ 131,550 |
| 96.-1-16.11 | 2168 Jones Bridge Rd | Leicester | 14481 | Boyd, Gail | 2168 Jones Bridge Rd | Leicester, NY 14481 | 241 | Linked | Yes | | \$ 131,550 |
| 96.-1-30.1 | Perry Rd | Leicester | 14481 | Bryant, Eric | 2270 Perry Rd | Mt. Morris, NY 14510 | 322 | 0.5 | | | \$ 29,400 |
| 96.-1-31 | 2270 Perry Rd | Leicester | 14481 | Bryant, Eric | 2270 Perry Rd | Mt Morris, NY 14510 | 242 | 1 | | | \$ 330,000 |
| 87.-1-29 | 2325 Jones Bridge Rd | Leicester | 14481 | Bullard, Ronald | 2325 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 111,300 |
| 96.-1-36.421 | 2198 Perry Rd | Leicester | 14481 | Burley, Gary C. | 5840 Perry Center Rd | Warsaw, NY 14569 | 322 | 0 | Yes | | \$ 30,000 |
| 96.-1-36.421 | 2198 Perry Rd | Leicester | 14481 | Burley, Betty L | 5840 Perry Center Rd | Warsaw, NY 14569 | 322 | Linked | Yes | | \$ 30,000 |
| 96.-1-36.505 | Perry Rd | Leicester | 14481 | Burley, Gary C. | 5840 Perry Center Rd | Warsaw, NY 14569 | 311 | 0 | Yes | | \$ 9,050 |
| 96.-1-36.505 | Perry Rd | Leicester | 14481 | Burley, Betty L | 5840 Perry Center Rd | Warsaw, NY 14569 | 311 | Linked | Yes | | \$ 9,050 |
| 87.-1-34.12 | Jones Bridge Rd | Leicester | 14481 | Carnes, Thomas J. | 2200 Jones Bridge Rd | Leicester, NY 14481 | 120 | 0 | Yes | | \$ 91,550 |
| 87.-1-34.12 | Jones Bridge Rd | Leicester | 14481 | Carnes, Kathy C | 2200 Jones Bridge Rd | Leicester, NY 14481 | 120 | Linked | Yes | | \$ 91,550 |
| 96.-1-19 | 2200 Jones Bridge Rd | Leicester | 14481 | Carnes, Thomas J. | 2200 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 268,100 |
| 96.-1-45 | 5568 Gibsonville Rd | Leicester | 14481 | Cartwright, Stephen | 5568 Gibsonville Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 35,250 |
| 96.-1-45 | 5568 Gibsonville Rd | Leicester | 14481 | Cartwright, Lori | 5568 Gibsonville Rd | Leicester, NY 14481 | 270 | Linked | | | \$ 35,250 |
| 96.-1-36.113 | 5437 Gibsonville Rd | Leicester | 14481 | Caudill, Dorsy F. | 5437 Gibsonville Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 138,600 |
| 88.-1-1 | 4836 Covington Rd | Leicester | 14481 | Chapman, Carole | 4836 Covington Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 112,200 |
| 87.-1-33.111 | Leicester Rd | Leicester | 14481 | Chirico, Dominic | 36 Krenzer Rd | Scottsville, NY 14546 | 320 | 0.5 | | | \$ 43,100 |
| 87.-1-55.1 | 2232 Leicester Rd | Leicester | 14481 | Chirico, Frank | 2232 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 102,400 |
| 97.-1-50 | Perry Rd | Leicester | 14481 | Cipriano Land, LLC, | PO Box 369 | Mt. Morris, NY 14510 | 312 | 0.5 | | | \$ 43,700 |
| 96.-1-46 | 5564 Gibsonville Rd | Leicester | 14481 | Clark, Luann K. | 5564 Gibsonville Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 144,300 |
| 96.-1-7 | 2139 Leicester Rd | Leicester | 14481 | Consiglio, Santo | PO Box 87 | Gainseville, NY 14066 | 314 | 0.5 | | | \$ 14,900 |
| 87.-1-14.22 | Bush Rd | Leicester | 14481 | Cooke, Curtis | 2049 Bush Rd | Leicester, NY 14481 | 311 | 0.5 | | | \$ 10,600 |
| 87.-1-14.22 | Bush Rd | Leicester | 14481 | Cooke, Serena | 2049 Bush Rd | Leicester, NY 14481 | 311 | Linked | | | \$ 10,600 |
| 87.-1-15.1 | 2049 Bush Rd | Leicester | 14481 | Cooke, Serena | 26 Walnut St | Attica, NY 14011 | 210 | 1 | | | \$ 189,300 |
| 87.-1-11 | Bush Rd | Leicester | 14481 | Corn Planters Farms Inc, | 7429 Burke Hill Rd | Perry, NY 14530 | 105 | 0 | Yes | | \$ 427,800 |
| 87.-1-20.13 | Dunkley Rd | Leicester | 14481 | Cuozzo, David | 2177 Dunkley Rd | Leicester, NY 14481 | 311 | 0.5 | | | \$ 106,400 |
| 87.-1-20.13 | Dunkley Rd | Leicester | 14481 | Cuozzo, Kelly | 2177 Dunkley Rd | Leicester, NY 14481 | 311 | Linked | | | \$ 106,400 |
| 87.-1-20.12 | 2177 Dunkley Rd | Leicester | 14481 | Cuozzo, David | 2177 Dunkley Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 106,400 |
| 87.-1-20.12 | 2177 Dunkley Rd | Leicester | 14481 | Cuozzo, Kelly | 2177 Dunkley Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 106,400 |
| 87.-1-47.111 | 2201 Leicester Rd | Leicester | 14481 | Cuozzo, Richard | 78 St. Helena St | Perry, NY 14530 | 312 | 0.5 | | | \$ 22,250 |

| Tax ID | Property Address | Municipality | Zip Code | Owner Name | Owner Address | Owner City | Property Code | Units | NYS Ag | Comment | Full Market Value |
|--------------|----------------------|--------------|----------|-----------------------------------|----------------------|------------------------|---------------|--------|--------|-------------|-------------------|
| 87.-1-47.111 | 2201 Leicester Rd | Leicester | 14481 | Cuozzo, Diane | 78 St. Helena St | Perry, NY 14530 | 312 | Linked | | | \$ 22,250 |
| 87.-1-54 | 1872 Bush Rd | Leicester | 14481 | D'Angelo, William C. | 1872 Bush Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 112,150 |
| 87.-1-54 | 1872 Bush Rd | Leicester | 14481 | D'Angelo, Lisa | 1872 Bush Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 112,150 |
| 96.-1-36.49 | 2160 Perry Rd | Leicester | 14481 | Dauber, A'Tasha | 2160 Perry Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 36,100 |
| 78.-1-22.2 | 2428 Peoria Rd | Leicester | 14481 | Day, Laurie J. | 2428 Peoria Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 224,300 |
| 97.-1-51.2 | 2580 Perry Rd | Leicester | 14481 | DeGraff, Dean E. | 2580 Perry Rd | Mt Morris, NY 14510 | 210 | 1 | | | \$ 54,217 |
| 97.-1-51.2 | 2580 Perry Rd | Leicester | 14481 | DeGraff, Amy | 2580 Perry Rd | Mt Morris, NY 14510 | 210 | Linked | | | \$ 54,217 |
| 97.-1-51.1 | 2562 Perry Rd | Leicester | 14481 | DeGraff, Earl E. | 2562 Perry Rd | Mt Morris, NY 14510 | 283 | 1 | | | \$ 163,500 |
| 97.-1-51.1 | 2562 Perry Rd | Leicester | 14481 | DeGraff, Dean E. | 2562 Perry Rd | Mt Morris, NY 14510 | 283 | Linked | | | \$ 163,500 |
| 96.-1-10 | 2127 Leicester Rd | Leicester | 14481 | Dombroski, Charles S. | 2127 Pine Tavern Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 27,050 |
| 96.-1-10 | 2127 Leicester Rd | Leicester | 14481 | Dombroski, Patricia | 2127 Pine Tavern Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 27,050 |
| 87.-1-50.313 | Dunkley Rd | Leicester | 14481 | Dueppengiesser, Michael | 5124 Brian Rd | Perry, NY 14530 | 300 | 0.5 | | | \$ 35,800 |
| 87.-1-7.1 | 1739 Dunkley Rd | Leicester | 14481 | Dueppengiesser, Ryan M. | 1739 Dunkley Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 159,900 |
| 96.-1-12.21 | 2120 Leicester Rd | Leicester | 14481 | Elisabeth F. Grant , Living Trust | 20 Browns Ave | Scottsville, NY 14546 | 210 | 1 | | | \$ 127,700 |
| 96.-1-23.2 | 2438 Perry Rd | Leicester | 14481 | Ellis, Charlene M. | 2442 Perry Rd | Mt Morris, NY 14510 | 310 | 0.5 | | | \$ 14,300 |
| 96.-1-23.11 | 2442 Perry Rd | Leicester | 14481 | Ellis, Charlene Marie | 2442 Perry Rd | Mt Morris, NY 14510 | 210 | 1 | | | \$ 241,100 |
| 87.-1-10 | 1839 Dunkley Rd | Leicester | 14481 | Englert, Neil | 1809 Dunkley Rd | Leicester, NY 14481 | 312 | 0.5 | | | \$ 16,350 |
| 87.-1-10 | 1839 Dunkley Rd | Leicester | 14481 | Englert, Andrew | 1809 Dunkley Rd | Leicester, NY 14481 | 312 | Linked | | | \$ 16,350 |
| 87.-1-9 | 1809 Dunkley Rd | Leicester | 14481 | Englert, Andrew | 1809 Dunkley Rd | Leicester, NY 14481 | 242 | 1 | | | \$ 115,400 |
| 87.-1-9 | 1809 Dunkley Rd | Leicester | 14481 | Englert, Michelle | 1809 Dunkley Rd | Leicester, NY 14481 | 242 | Linked | | | \$ 115,400 |
| 87.-1-40 | 2210 Leicester Rd | Leicester | 14481 | Estruch, Erica | 2210 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 306,100 |
| 96.-1-15.3 | 2161 Jones Bridge Rd | Leicester | 14481 | Evans, Shane | 6030 Oatka Rd | Warsaw, NY 14569 | 270 | 1 | | | \$ 93,000 |
| 96.-1-15.3 | 2161 Jones Bridge Rd | Leicester | 14481 | Evans, Ronald | 6030 Oatka Rd | Warsaw, NY 14569 | 270 | Linked | | | \$ 93,000 |
| 78.-1-32.41 | New Rd | Leicester | 14481 | Fagan, Sharon B. | 2462 New Rd | Leicester, NY 14481 | 314 | 0 | Yes | | \$ 50,500 |
| 78.-1-57.1 | New Rd | Leicester | 14481 | Fagan, Sharon B. | 2462 New Rd | Leicester, NY 14481 | 105 | 0 | Yes | | \$ 28,100 |
| 96.-1-36.46 | 2176 Perry Rd | Leicester | 14481 | Farley, Leah M. | 2176 Perry Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 38,900 |
| 96.-1-36.46 | 2176 Perry Rd | Leicester | 14481 | Schoonover, Charles | 2176 Perry Rd | Leicester, NY 14481 | 270 | Linked | | | \$ 38,900 |
| 87.-1-28 | 2377 Jones Bridge Rd | Leicester | 14481 | Fischer, Scott | 2377 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 62,550 |
| 87.-1-28 | 2377 Jones Bridge Rd | Leicester | 14481 | Streicher-Fischer, Rosanne | 2377 Jones Bridge Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 62,550 |
| 105.-1-20.1 | Gibsonville Rd | Leicester | 14481 | Fitch, Joseph A. | 3840 Slocum | Perry, NY 14530 | 105 | 0 | Yes | | \$ 1,001,900 |
| 96.-1-61 | Perry Rd | Leicester | 14481 | Fladie, David S. | 108 Brooklyn St | Warsaw, NY 14569 | 321 | 0.5 | | | \$ 19,900 |
| 96.-1-58 | 2131 Leicester Rd | Leicester | 14481 | Fredrickson, Jon | 2131 Leicester Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 66,100 |
| 96.-1-17 | Jones Bridge Rd | Leicester | 14481 | Gaidasz Family Trust, The, | 291 Middleline Rd | Ballston Spa, NY 12020 | 322 | 0.5 | | | \$ 30,600 |
| 96.-1-13.21 | Leicester Rd | Leicester | 14481 | Gallagher, Robert | 2145 Jones Bridge Rd | Leicester, NY 14481 | 105 | 0 | Yes | | \$ 57,600 |
| 96.-1-13.21 | Leicester Rd | Leicester | 14481 | Gallagher, Michelle | 2145 Jones Bridge Rd | Leicester, NY 14481 | 105 | Linked | Yes | | \$ 57,600 |
| 96.-1-63 | Leicester Rd | Leicester | 14481 | Gallagher, Robert | 2145 Jones Bridge Rd | Leicester, NY 14481 | 321 | 0 | | Land Locked | \$ 1,250 |
| 96.-1-63 | Leicester Rd | Leicester | 14481 | Gallagher, Michelle | 2145 Jones Bridge Rd | Leicester, NY 14481 | 321 | Linked | | Land Locked | \$ 1,250 |
| 96.-1-13.1 | 2145 Jones Bridge Rd | Leicester | 14481 | Gallagher, Robert D. | 2145 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 130,050 |
| 96.-1-13.1 | 2145 Jones Bridge Rd | Leicester | 14481 | Gallagher, Michelle | 2145 Jones Bridge Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 130,050 |
| 87.-1-14.11 | 2032 Coverdale Rd | Leicester | 14481 | Geffers, Muriel M. | 2032 Coverdale Rd | Leicester, NY 14481 | 242 | 1 | | | \$ 150,500 |
| 87.-1-14.11 | 2032 Coverdale Rd | Leicester | 14481 | Geffers, Cody | 2032 Coverdale Rd | Leicester, NY 14481 | 242 | Linked | | | \$ 150,500 |
| 87.-1-50.312 | 1788 Dunkley Rd | Leicester | 14481 | Giamarva, Donald | 1788 Dunkley Rd | Leicester, NY 14481 | 241 | 1 | Yes | | \$ 201,850 |
| 87.-1-50.312 | 1788 Dunkley Rd | Leicester | 14481 | Giamarva, Kathleen | 1788 Dunkley Rd | Leicester, NY 14481 | 241 | Linked | Yes | | \$ 201,850 |
| 87.-1-42 | 2186 Leicester Rd | Leicester | 14481 | Grant, Ulysses | 2186 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 223,300 |
| 87.-1-48.2 | 2236 Dunkley Rd | Leicester | 14481 | Gray, Paul | 2236 Dunkley Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 92,250 |
| 87.-1-48.2 | 2236 Dunkley Rd | Leicester | 14481 | Gray, Michelle | 2236 Dunkley Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 92,250 |

| Tax ID | Property Address | Municipality | Zip Code | Owner Name | Owner Address | Owner City | Property Code | Units | NYS Ag | Comment | Full Market Value |
|--------------|----------------------|--------------|----------|-------------------------|----------------------------|---------------------|---------------|--------|--------|---------|-------------------|
| 96.-1-16.12 | 2198 Jones Bridge Rd | Leicester | 14481 | Gullo, Anthony M. | 2198 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 99,600 |
| 96.-1-16.12 | 2198 Jones Bridge Rd | Leicester | 14481 | Gullo, Kara | 2198 Jones Bridge Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 99,600 |
| 96.-1-6.1 | 2079 Leicester Rd | Leicester | 14481 | H.M. Webb, LLC, | 2085 Leicester Rd | Leicester, NY 14481 | 710 | 1 | | | \$ 488,700 |
| 87.-1-39 | 2222 Leicester Rd | Leicester | 14481 | Harrington, Joyce M. | 2222 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 63,850 |
| 87.-1-39 | 2222 Leicester Rd | Leicester | 14481 | Harrington, Richard | 2222 Leicester Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 63,850 |
| 96.-1-21.2 | 2455 Perry Rd | Leicester | 14481 | Harris, David | 2178 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 76,500 |
| 96.-1-21.2 | 2455 Perry Rd | Leicester | 14481 | Harris, Kristi | 2178 Leicester Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 76,500 |
| 87.-1-34.2 | 2178 Leicester Rd | Leicester | 14481 | Harris, Hunter M. | 2178 Leicester Rd | Leicester, NY 14481 | 283 | 1 | | | \$ 250,400 |
| 87.-1-47.12 | 2179 Leicester Rd | Leicester | 14481 | Harris, Kristi | 2178 Leicester Rd | Leicester, NY 14481 | 311 | 0.5 | | | \$ 16,900 |
| 87.-1-38.232 | 2334 Donnelly Ln | Leicester | 14481 | Hastrich, Shelley L. | 2337 Donnelly Ln | Leicester, NY 14481 | 310 | 0.1 | | | \$ 100 |
| 87.-1-38.231 | 2337 Donnelly Ln | Leicester | 14481 | Hastrich, Shelley L. | 2337 Donnelly Ln | Leicester, NY 14481 | 210 | 1 | | | \$ 378,900 |
| 87.-1-49 | 1900 Dunkley Rd | Leicester | 14481 | Hauslauer, Edward F. | 1900 Dunkley Rd | Leicester, NY 14481 | 120 | 1 | Yes | | \$ 374,050 |
| 87.-1-49 | 1900 Dunkley Rd | Leicester | 14481 | Hauslauer, Patricia | 1900 Dunkley Rd | Leicester, NY 14481 | 120 | Linked | Yes | | \$ 374,050 |
| 87.-1-30 | 2339 Jones Bridge Rd | Leicester | 14481 | Hill, Roman P. | 2339 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 69,150 |
| 87.-1-30 | 2339 Jones Bridge Rd | Leicester | 14481 | Brick, Tamara | 2339 Jones Bridge Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 69,150 |
| 96.-1-28 | 2370 Perry Rd | Leicester | 14481 | Holt, Gary G. | 2370 Perry Rd | Mt Morris, NY 14510 | 210 | 1 | | | \$ 109,000 |
| 96.-1-28 | 2370 Perry Rd | Leicester | 14481 | Holt, Jane | 2370 Perry Rd | Mt Morris, NY 14510 | 210 | Linked | | | \$ 109,000 |
| 96.-1-14.2 | Jones Bridge Rd | Leicester | 14481 | Holtz, Corwin R. | PO Box 1198 | Dryden, NY 13053 | 120 | 0 | Yes | | \$ 53,900 |
| 96.-1-14.2 | Jones Bridge Rd | Leicester | 14481 | Holtz, Deborah | PO Box 1198 | Dryden, NY 13053 | 120 | Linked | Yes | | \$ 53,900 |
| 78.-1-42 | 2169 Coverdale Rd | Leicester | 14481 | Horton, Barbara | 2169 Coverdale Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 176,600 |
| 96.-1-15.11 | 2159 Jones Bridge Rd | Leicester | 14481 | House, Thomas D. | 2159 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 129,400 |
| 96.-1-15.11 | 2159 Jones Bridge Rd | Leicester | 14481 | House, Linda | 2159 Jones Bridge Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 129,400 |
| 96.-1-20 | Jones Bridge Rd | Leicester | 14481 | Hull, Gerald W. | 2414 Jones Bridge Rd | Leicester, NY 14481 | 105 | 0 | Yes | | \$ 278,300 |
| 96.-1-21.1 | Perry Rd | Leicester | 14481 | Hull, Gerald W. | 2414 Jones Bridge Rd | Leicester, NY 14481 | 105 | 0 | Yes | | \$ 89,200 |
| 96.-1-26 | Jones Bridge Rd | Leicester | 14481 | Hull, Gerald W. | 2414 Jones Bridge Rd | Leicester, NY 14481 | 105 | 0 | Yes | | \$ 352,700 |
| 96.-1-22 | 2414 Jones Bridge Rd | Leicester | 14481 | Hull, Gerald W. | 2414 Jones Bridge Rd | Leicester, NY 14481 | 112 | 1 | Yes | | \$ 550,000 |
| 87.-1-50.1 | Dunkley Rd | Leicester | 14481 | I.O.E. Acres VI, LLC, | 4326 Middle Reservation Rd | Perry, NY 14530 | 105 | 0 | Yes | | \$ 581,000 |
| 87.-1-7.2 | Dunkley Rd | Leicester | 14481 | I.O.E. Acres VI, LLC, | 4326 Middle Reservation Rd | Perry, NY 14530 | 105 | 0 | Yes | | \$ 112,200 |
| 78.-1-52.2 | Covington Rd | Leicester | 14481 | I.O.E. Acres VI, LLC, | 4326 Middle Reservation Rd | Perry, NY 14530 | 105 | 0 | Yes | | \$ 357,500 |
| 87.-1-46.113 | Leicester Rd | Leicester | 14481 | I.O.E. Acres VI, LLC, | 4326 Middle Reservation Rd | Perry, NY 14530 | 105 | 0 | Yes | | \$ 154,600 |
| 87.-1-48.120 | Dunkley Rd | Leicester | 14481 | I.O.E. Acres, LLC, | 4326 Middle Reservation Rd | Perry, NY 14530 | 105 | 0 | Yes | | \$ 612,400 |
| 78.-1-45.2 | Coverdale Rd | Leicester | 14481 | JA-RY Properties L L C, | 1054 Peoria Rd | Pavilion, NY 14525 | 105 | 0 | Yes | | \$ 582,000 |
| 87.-1-53.1 | 2273 Leicester Rd | Leicester | 14481 | Johnson, Dalton J. | 2273 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 103,600 |
| 87.-1-53.1 | 2273 Leicester Rd | Leicester | 14481 | Milligan, Cheryl | 2273 Leicester Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 103,600 |
| 96.-1-36.45 | 5495 Gibsonville Rd | Leicester | 14481 | Jones, Steven | 5495 Gibsonville Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 202,000 |
| 87.-1-15.2 | 2053 Bush Rd | Leicester | 14481 | King, Matthew J. | 5393 Middle Reservation Rd | Castile, NY 14427 | 270 | 1 | | | \$ 62,500 |
| 78.-1-30.112 | New Rd | Leicester | 14481 | Knopick, Keith | 2463 New Rd | Leicester, NY 14481 | 105 | 0 | Yes | | \$ 22,500 |
| 78.-1-30.121 | 2463 New Rd | Leicester | 14481 | Knopick, Keith | 2463 New Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 234,900 |
| 87.-1-13.1 | 2060 Coverdale Rd | Leicester | 14481 | Krautwurst, Gregg T. | 2060 Coverdale Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 65,900 |
| 87.-1-13.1 | 2060 Coverdale Rd | Leicester | 14481 | Krautwurst, Wanda | 2060 Coverdale Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 65,900 |
| 78.-1-36 | 2257 Coverdale Rd | Leicester | 14481 | Kuhn, David J. | 2257 Coverdale Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 107,650 |
| 78.-1-36 | 2257 Coverdale Rd | Leicester | 14481 | Orlando, Mary | 2257 Coverdale Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 107,650 |
| 78.-1-38 | 2255 Coverdale Rd | Leicester | 14481 | Laney, Marla | 2255 Coverdale Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 132,900 |
| 88.-2-21 | 2440 Jones Bridge Rd | Leicester | 14481 | Lauko, Charles D. | 2440 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 102,550 |
| 88.-2-21 | 2440 Jones Bridge Rd | Leicester | 14481 | Lauko, Penny | 2440 Jones Bridge Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 102,550 |
| 96.-1-11 | 2108 Leicester Rd | Leicester | 14481 | LaVerdi, Barbara J. | 355 Yarmouth Rd | Rochester, NY 14610 | 411 | 1 | | | \$ 202,400 |

| Tax ID | Property Address | Municipality | Zip Code | Owner Name | Owner Address | Owner City | Property Code | Units | NYS Ag | Comment | Full Market Value |
|--------------|----------------------|--------------|----------|--------------------------|----------------------|------------------------|---------------|--------|--------|---------|-------------------|
| 78.-1-32.3 | 2420 New Rd | Leicester | 14481 | LaVerdi, Brenda J. | 2420 New Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 256,600 |
| 78.-1-27.115 | Peoria Rd | Leicester | 14481 | Leach, Grant W. | 2455 Peoria Rd | Leicester, NY 14481 | 311 | 0.5 | | | \$ 9,700 |
| 78.-1-27.115 | Peoria Rd | Leicester | 14481 | Leach, Janis | 2455 Peoria Rd | Leicester, NY 14481 | 311 | Linked | | | \$ 9,700 |
| 78.-1-27.114 | 2465 Peoria Rd | Leicester | 14481 | Leach, Janis | 2455 Peoria Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 118,600 |
| 78.-1-27.3 | 2455 Peoria Rd | Leicester | 14481 | Leach, Janis L. | 2455 Peoria Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 196,600 |
| 87.-1-56.2 | 2230 Leicester Rd | Leicester | 14481 | Lingle, Barry B. | 2230 Leicester Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 85,700 |
| 87.-1-48.112 | 2154 Dunkley Rd | Leicester | 14481 | Livermore, Kattie Jo | 2154 Dunkley Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 161,300 |
| 96.-1-41.126 | 5691 Gibsonville Rd | Leicester | 14481 | Marcott, Danny A | 5691 Gibsonville Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 166,650 |
| 96.-1-41.126 | 5691 Gibsonville Rd | Leicester | 14481 | Marcott, Patricia | 5691 Gibsonville Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 166,650 |
| 87.-1-48.116 | 2126 Dunkley Rd | Leicester | 14481 | Marion, Wayne | 2126 Dunkley Rd | Leicester, NY 14481 | 117 | 1 | Yes | | \$ 118,650 |
| 87.-1-48.116 | 2126 Dunkley Rd | Leicester | 14481 | Marion, Linda | 2126 Dunkley Rd | Leicester, NY 14481 | 117 | Linked | Yes | | \$ 118,650 |
| 87.-1-47.21 | Leicester Rd | Leicester | 14481 | Martin, Pearl | 5203 South St | Leicester, NY 14481 | 312 | 0.5 | | | \$ 7,400 |
| 87.-1-47.21 | Leicester Rd | Leicester | 14481 | Zambito, Joshua | 5203 South St | Leicester, NY 14481 | 312 | Linked | | | \$ 7,400 |
| 87.-1-20.21 | 2235 Dunkley Rd | Leicester | 14481 | McCausland, George H. | 2235 Dunkley Rd | Leicester, NY 14481 | 242 | 1 | | | \$ 96,100 |
| 87.-1-20.21 | 2235 Dunkley Rd | Leicester | 14481 | McCausland, Jacqueline | 2235 Dunkley Rd | Leicester, NY 14481 | 242 | Linked | | | \$ 96,100 |
| 78.-1-30.122 | 2459 New Rd | Leicester | 14481 | McDonald, John C. | 2459 New Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 256,300 |
| 96.-1-36.12 | 5421 Gibsonville Rd | Leicester | 14481 | Milliken, Carol A. | 5421 Gibsonville Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 56,600 |
| 96.-1-36.413 | 2200 Perry Rd | Leicester | 14481 | Mock, Barbara A. | 2200 Perry Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 76,750 |
| 96.-1-36.413 | 2200 Perry Rd | Leicester | 14481 | Mock, Kevin | 2200 Perry Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 76,750 |
| 96.-1-36.47 | 2172 Perry Rd | Leicester | 14481 | Mock, Kenneth L. Jr. | 2172 Perry Rd | Leicester, NY 14482 | 270 | 1 | | | \$ 143,400 |
| 97.-1-2.11 | Perry Rd | Leicester | 14481 | Mole, Joyce M. | 9 Hollingham Rise | Fairport, NY 14450 | 105 | 0.5 | | | \$ 92,700 |
| 87.-1-19 | 2145 Dunkley Rd | Leicester | 14481 | Moore , Gary D. | 2085 Dunkley Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 77,250 |
| 87.-1-19 | 2145 Dunkley Rd | Leicester | 14481 | Merriman, Mari Beth | 2085 Dunkley Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 77,250 |
| 87.-1-12.3 | 1856 Dunkley Rd | Leicester | 14481 | Moore, Dennis L | 1856 Dunkley Rd | Leicester, NY 14481 | 120 | 1 | Yes | | \$ 901,300 |
| 87.-1-12.2 | Dunkley Rd | Leicester | 14481 | Moore, Gary D | 2085 Dunkley Rd | Leicester, NY 14481 | 105 | 0 | Yes | | \$ 387,950 |
| 87.-1-12.2 | Dunkley Rd | Leicester | 14481 | Moore, Dennis L | 2085 Dunkley Rd | Leicester, NY 14481 | 105 | Linked | Yes | | \$ 387,950 |
| 87.-1-16 | Dunkley Rd | Leicester | 14481 | Moore, Gary D | 2085 Dunkley Rd | Leicester, NY 14481 | 105 | 0 | Yes | | \$ 58,650 |
| 87.-1-16 | Dunkley Rd | Leicester | 14481 | Merriman, Mari Beth | 2085 Dunkley Rd | Leicester, NY 14481 | 105 | Linked | Yes | | \$ 58,650 |
| 87.-1-12.1 | 1865 Dunkley Rd | Leicester | 14481 | Moore, Gary D | 1865 Dunkley Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 76,750 |
| 87.-1-12.1 | 1865 Dunkley Rd | Leicester | 14481 | Morre, Dennis | 1865 Dunkley Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 76,750 |
| 87.-1-17 | 1971 Dunkley Rd | Leicester | 14481 | Moore, Gary D. | 2085 Dunkley Rd | Leicester, NY 14481 | 120 | 1 | Yes | | \$ 597,800 |
| 87.-1-50.311 | Dunkley Rd | Leicester | 14481 | Morgan, Michael | 1702 Dunkley Rd | Leicester, NY 14481 | 300 | 0.5 | | | \$ 11,600 |
| 87.-1-51.1 | Dunkley Rd | Leicester | 14481 | Morgan, Michael E. | 1702 Dunkley Rd | Leicester, NY 14481 | 120 | 0.5 | | | \$ 399,400 |
| 87.-1-51.1 | Dunkley Rd | Leicester | 14481 | Morgan, Marianne | 1702 Dunkley Rd | Leicester, NY 14481 | 120 | Linked | | | \$ 399,400 |
| 87.-1-31.2 | 2349 Jones Bridge Rd | Leicester | 14481 | Morin, Amy R. | 2 Eastman Pl | Leicester, NY 14481 | 312 | 1 | | | \$ 88,800 |
| 96.-1-36.48 | 2168 Perry Rd | Leicester | 14481 | Morseman, Kayla | 2859 Jones Bridge Rd | Mount Morris, NY 14510 | 210 | 1 | | | \$ 48,000 |
| 96.-1-36.48 | 2168 Perry Rd | Leicester | 14481 | Smith, Kevin | 2859 Jones Bridge Rd | Mount Morris, NY 14510 | 210 | Linked | | | \$ 48,000 |
| 96.-1-16.21 | 2144 Jones Bridge Rd | Leicester | 14481 | Mullen, Daniel | 2144 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 80,200 |
| 96.-1-16.21 | 2144 Jones Bridge Rd | Leicester | 14481 | Mullen, Jamie | 2144 Jones Bridge Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 80,200 |
| 96.-1-57 | 5574 Gibsonville Rd | Leicester | 14481 | Murphree, Robin A. | 5574 Gibsonville Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 38,050 |
| 96.-1-57 | 5574 Gibsonville Rd | Leicester | 14481 | Murphree, Gary | 5574 Gibsonville Rd | Leicester, NY 14481 | 270 | Linked | | | \$ 38,050 |
| 87.-1-18.2 | 2190 Coverdale Rd | Leicester | 14481 | Muscarella, Andrew T. | 2190 Coverdale Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 198,600 |
| 87.-1-18.12 | 2186 Coverdale Rd | Leicester | 14481 | Muscarella, Patricia P. | 2186 Coverdale Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 211,400 |
| 88.-1-8.21 | Covington Rd | Leicester | 14481 | Muscarella, Thomas M. Jr | 4837 Covington Rd | Leicester, NY 14481 | 321 | 0.5 | | | \$ 3,000 |
| 88.-1-8.22 | 4833 Covington Rd | Leicester | 14481 | Muscarella, Thomas M. Jr | 4837 Covington Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 357,800 |
| 78.-1-27.116 | Peoria Rd | Leicester | 14481 | Nearhood, Jason P. | 2485 Peoria Rd | Leicester, NY 14481 | 322 | 0.5 | | | \$ 17,150 |

| Tax ID | Property Address | Municipality | Zip Code | Owner Name | Owner Address | Owner City | Property Code | Units | NYS Ag | Comment | Full Market Value |
|--------------|----------------------|--------------|----------|----------------------------|----------------------|--------------------------|---------------|--------|--------|-------------|-------------------|
| 78.-1-27.116 | Peoria Rd | Leicester | 14481 | Nearhood, Sandra | 2485 Peoria Rd | Leicester, NY 14481 | 322 | Linked | | | \$ 17,150 |
| 78.-1-27.117 | 2485 Peoria Rd | Leicester | 14481 | Nearhood, Jason P. | 2485 Peoria Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 64,650 |
| 78.-1-27.117 | 2485 Peoria Rd | Leicester | 14481 | Nearhood, Sandra | 2485 Peoria Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 64,650 |
| 96.-1-36.31 | 2268 Perry Rd | Leicester | 14481 | Neumann, Leo | 2268 Perry Rd | Mt Morris, NY 14510 | 242 | 1 | | | \$ 359,800 |
| 96.-1-30.2 | 2328 Perry Rd | Leicester | 14481 | Nevinger, Sheri | PO Box 152 | Leicester, NY 14481 | 210 | 1 | | | \$ 197,200 |
| 87.-1-44 | 2174 Leicester Rd | Leicester | 14481 | Newcomb, Jeffrey | 2174 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 102,300 |
| 87.-1-44 | 2174 Leicester Rd | Leicester | 14481 | Newcomb, Thelma | 2174 Leicester Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 102,300 |
| 97.-1-2.12 | 2495 Perry Rd | Leicester | 14481 | Newcomb, Joseph | 2495 Perry Rd | Mt Morris, NY 14510 | 210 | 1 | | | \$ 123,500 |
| 97.-1-2.12 | 2495 Perry Rd | Leicester | 14481 | Newcomb, Heidi | 2495 Perry Rd | Mt Morris, NY 14510 | 210 | Linked | | | \$ 123,500 |
| 78.-1-32.2 | 2398 New Rd | Leicester | 14481 | Nickel, Glenn R. | 2398 New Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 68,300 |
| 78.-1-32.2 | 2398 New Rd | Leicester | 14481 | Nickel, Mary | 2398 New Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 68,300 |
| 78.-1-35 | 4778 Covington Rd | Leicester | 14481 | Noble, John E. | 4778 Covington Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 170,100 |
| 96.-1-14.1 | 2136 Jones Bridge Rd | Leicester | 14481 | Norman, Max R. | 2136 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 72,550 |
| 96.-1-14.1 | 2136 Jones Bridge Rd | Leicester | 14481 | Norman, Leslie | 2136 Jones Bridge Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 72,550 |
| 78.-1-30.14 | New Rd | Leicester | 14481 | Norton, Patrick G. | 135 Main St | Leicester, NY 14481 | 314 | 0.5 | | | \$ 22,200 |
| 96.-1-37 | 2062 Perry Rd | Leicester | 14481 | Occhioni, Mark | 2428 Peoria Rd | Leicester, NY 14481 | 485 | 1 | | | \$ 106,600 |
| 96.-1-36.2 | 5431 Gibsonville Rd | Leicester | 14481 | O'Connor, Richard | 5431 Gibsonville Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 101,900 |
| 96.-1-36.44 | 2094 Perry Rd | Leicester | 14481 | Old Farm Development, LLC, | 72 Covington St | Perry, NY 14530 | 210 | 1 | | | \$ 79,300 |
| 78.-1-37 | 4772 Covington Rd | Leicester | 14481 | Overton, Henry T. | 4772 Covington Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 193,400 |
| 96.-1-29 | 2350 Perry Rd | Leicester | 14481 | Passamonte, Sandra J. | 2350 Perry Rd | Mt Morris, NY 14510 | 210 | 1 | | | \$ 127,700 |
| 96.-1-40.1 | Gibsonville Rd | Leicester | 14481 | Patrick Milo A & Sons Inc, | 5853 Gibsonville Rd | Leicester, NY 14481 | 105 | 0 | Yes | | \$ 391,400 |
| 105.-1-10 | 5853 Gibsonville Rd | Leicester | 14481 | Patrick Milo A & Sons Inc, | 5853 Gibsonville Rd | Leicester, NY 14481 | 120 | 1 | Yes | | \$ 522,900 |
| 96.-1-16.32 | 2146 Jones Bridge Rd | Leicester | 14481 | Patrick, James H. | 2146 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 94,000 |
| 96.-1-16.32 | 2146 Jones Bridge Rd | Leicester | 14481 | Patrick, Christine | 2146 Jones Bridge Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 94,000 |
| 78.-1-31.1 | 2462 New Rd | Leicester | 14481 | Peete, Richard S. | 2462 New Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 192,750 |
| 78.-1-31.1 | 2462 New Rd | Leicester | 14481 | Peete, Michelle | 2462 New Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 192,750 |
| 87.-1-27 | 2385 Jones Bridge Rd | Leicester | 14481 | Pendergast, Antionette E. | 22 South St | Leicester, NY 14481 | 312 | 0.1 | | | \$ 4,100 |
| 87.-1-51.2 | 1738 Dunkley Rd | Leicester | 14481 | Peterson, Ethan M | 1738 Dunkley Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 186,750 |
| 87.-1-51.2 | 1738 Dunkley Rd | Leicester | 14481 | Shuker, Darien | 1738 Dunkley Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 186,750 |
| 87.-1-46.116 | Leicester Rd | Leicester | 14481 | Prevost, Dennis | 2269 Leicester Rd | Leicester, NY 14481 | 242 | 0 | | Land Locked | \$ 20,800 |
| 87.-1-46.116 | Leicester Rd | Leicester | 14481 | Prevost, Julie | 2269 Leicester Rd | Leicester, NY 14481 | 242 | Linked | | Land Locked | \$ 20,800 |
| 87.-1-37 | 2269 Leicester Rd | Leicester | 14481 | Prevost, Dennis | 2269 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 89,650 |
| 87.-1-37 | 2269 Leicester Rd | Leicester | 14481 | Prevost, Julie | 2269 Leicester Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 89,650 |
| 96.-1-40.2 | 5723 Gibsonville Rd | Leicester | 14481 | Randazzo, Joseph V | 5723 Gibsonville Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 53,250 |
| 96.-1-40.2 | 5723 Gibsonville Rd | Leicester | 14481 | Randazzo, Mary | 5723 Gibsonville Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 53,250 |
| 96.-1-8 | 2167 Leicester Rd | Leicester | 14481 | Rawleigh, Kathleen L. | 2167 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 79,750 |
| 96.-1-8 | 2167 Leicester Rd | Leicester | 14481 | Videan, Dave | 2167 Leicester Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 79,750 |
| 87.-1-43 | 2184 Leicester Rd | Leicester | 14481 | Regatuso, Joseph M. | 4635 Flats Rd | Groveland, NY 14462 | 210 | 1 | | | \$ 224,900 |
| 96.-1-36.114 | 5455 Gibsonville Rd | Leicester | 14481 | Regatuso, Matthew | 5455 Gibsonville Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 71,100 |
| 96.-1-36.114 | 5455 Gibsonville Rd | Leicester | 14481 | Regatuso, Kristina | 5455 Gibsonville Rd | Leicester, NY 14481 | 270 | Linked | | | \$ 71,100 |
| 96.-1-18 | 2331 Perry Rd | Leicester | 14481 | Rosati Development, Inc., | 2391 Riverside Dr | Palm City, FL 34990 | 242 | 1 | | | \$ 192,800 |
| 96.-1-16.31 | 2158 Jones Bridge Rd | Leicester | 14481 | Rowekamp, Kellie H. | 2158 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 180,100 |
| 96.-1-16.31 | 2158 Jones Bridge Rd | Leicester | 14481 | Rowekamp, Kenneth | 2158 Jones Bridge Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 180,100 |
| 87.-1-48.12 | 2170 Dunkley Rd | Leicester | 14481 | Runfola, Joseph A. | 2170 Dunkley Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 114,150 |
| 87.-1-48.12 | 2170 Dunkley Rd | Leicester | 14481 | Runfola, Pearl | 2170 Dunkley Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 114,150 |
| 96.-1-9 | 2129 Leicester Rd | Leicester | 14481 | Schery, Tracia | 6065 Barber Rd | Silver Springs, NY 14550 | 270 | 1 | | | \$ 25,800 |

| Tax ID | Property Address | Municipality | Zip Code | Owner Name | Owner Address | Owner City | Property Code | Units | NYS Ag | Comment | Full Market Value |
|---------------|----------------------|--------------|----------|--------------------------------|----------------------|---------------------|---------------|--------|--------|-------------|-------------------|
| 96.-1-36.511 | 5487 Gibsonville Rd | Leicester | 14481 | Schmick, Jay L. | 5487 Gibsonville Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 51,600 |
| 78.-1-28 | 2434 Peoria Rd | Leicester | 14481 | Scondras, Laura J. | 2434 Peoria Rd | Leicester, NY 14487 | 241 | 1 | Yes | | \$ 274,100 |
| 87.-1-56.11 | 2228 Leicester Rd | Leicester | 14481 | Shepard, Patrick | 2228 Leicester Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 109,400 |
| 87.-1-38.1 | 2224 Leicester Rd | Leicester | 14481 | Shull, Trudy | 2224 Leicester Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 193,400 |
| 87.-1-20.114 | 2205 Dunkley Rd | Leicester | 14481 | Slade, Stephen | 2205 Dunkley Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 207,600 |
| 87.-1-63 | Covington Rd | Leicester | 14481 | Smithgall Acres LLC, | 7863 Rt 39 Rd | Perry, NY 14530 | 105 | 0 | Yes | | \$ 273,300 |
| 87.-1-26.114 | Leicester Rd | Leicester | 14481 | Smithgall Acres, LLC, | 7863 Route 39 | Perry, NY 14530 | 105 | 0 | Yes | | \$ 172,900 |
| 96.-1-35 | 5589 Gibsonville Rd | Leicester | 14481 | Sonricker, James A. | 5589 Gibsonville Rd | Leicester, NY 14481 | 120 | 1 | Yes | | \$ 407,500 |
| 96.-1-43 | 5600 Gibsonville Rd | Leicester | 14481 | Stanley, John | 5600 Gibsonville Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 115,400 |
| 96.-1-43 | 5600 Gibsonville Rd | Leicester | 14481 | Stanley, Sharon | 5600 Gibsonville Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 115,400 |
| 96.-1-38.1 | 5673 Gibsonville Rd | Leicester | 14481 | Stickley, Madalyn | 5673 Gibsonville Rd | Leicester, NY 14481 | 241 | 1 | | | \$ 214,800 |
| 96.-1-13.22 | 2139 Jones Bridge Rd | Leicester | 14481 | Strathearn, Nancy A. | 2139 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 64,900 |
| 87.-1-14.21 | 2048 Coverdale Rd | Leicester | 14481 | Sullivan, Sean M. | 2048 Coverdale Rd | Leicester, NY 14481 | 242 | 1 | | | \$ 186,350 |
| 87.-1-14.21 | 2048 Coverdale Rd | Leicester | 14481 | Smith, Paula | 2048 Coverdale Rd | Leicester, NY 14481 | 242 | Linked | | | \$ 186,350 |
| 87.-1-48.118 | Dunkley Rd | Leicester | 14481 | Swearingen, Samuel P. | 4407 River Rd | Piffard, NY 14533 | 105 | 0 | Yes | | \$ 14,700 |
| 78.-1-30.13 | 2443 New Rd | Leicester | 14481 | Tiede, Ryan P. | 2443 New Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 163,750 |
| 78.-1-30.13 | 2443 New Rd | Leicester | 14481 | Tiede, Carrie | 2443 New Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 163,750 |
| 96.-1-23.12 | 2446 Perry Rd | Leicester | 14481 | Tilton, Gilbert | 2446 Perry Rd | Mt Morris, NY 14510 | 210 | 1 | | | \$ 133,700 |
| 87.-1-26.116 | Leicester Rd | Leicester | 14481 | Trathen Land Company LLC | 2301 Main Rd | Piffard, NY 14533 | 320 | 0 | Yes | | \$ 12,900 |
| 78.-1-27.2 | Peoria Rd | Leicester | 14481 | Treadwell Farm, | 2411 Peoria Rd | Leicester, NY 14481 | 105 | 0 | Yes | | \$ 61,000 |
| 78.-1-32.1 | 2370 New Rd | Leicester | 14481 | Uhl, Kurt M. | 2370 New Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 236,400 |
| 105.-1-20.3 | 5802 Gibsonville Rd | Leicester | 14481 | VanArsdale, Emily J | 5802 Gibsonville Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 192,900 |
| 96.-1-36.32 | 2222 Perry Rd | Leicester | 14481 | Vertical Horizons Ventures LLC | 2222 Perry Rd | Mt Morris, NY 14510 | 442 | 0.5 | | | \$ 81,900 |
| 87.-1-47.112 | 2213 Leicester Rd | Leicester | 14481 | Videan, David M. | 2561 Kingston Rd | Leicester, NY 14481 | 312 | 0.5 | | | \$ 7,800 |
| 96.-1-60 | 2382 Perry Rd | Leicester | 14481 | Warner, Nicholas R. | 2382 Perry Rd | Mt Morris, NY 14510 | 210 | 1 | | | \$ 148,300 |
| 87.-1-46.122 | Leicester Rd | Leicester | 14481 | Wasson, Lisa A. | PO Box 306 | Mumford, NY 14511 | 311 | 0 | | Land Locked | \$ 1,600 |
| 87.-1-46.115 | Leicester Rd | Leicester | 14481 | Wasson, Lisa A. | PO Box 306 | Mumford, NY 14511 | 300 | 0.5 | | | \$ 101,700 |
| 96.-1-6.4 | 2121 Leicester Rd | Leicester | 14481 | Webb, Arlene A. | 2121 Leicester Rd | Leicester, NY 14481 | 270 | 1 | | | \$ 139,400 |
| 96.-1-62 | Leicester Rd | Leicester | 14481 | Webb, Dean | 2085 Leicester Rd | Leicester, NY 14481 | 321 | 0.5 | | | \$ 2,500 |
| 96.-1-6.3 | 2103 Leicester Rd | Leicester | 14481 | Webb, Dean B. | 2103 Leicester Rd | Leicester, NY 14481 | 241 | 1 | | | \$ 366,700 |
| 96.-1-36.412 | 2210 Perry Rd | Leicester | 14481 | Webb, Kyle | 2210 Perry Rd | Mt Morris, NY 14510 | 270 | 1 | | | \$ 134,100 |
| 78.-1-45.1 | 2049 Coverdale Rd | Leicester | 14481 | Wetmore, Benjamin T. | 2049 Coverdale Rd | Leicester, NY 14481 | 242 | 1 | | | \$ 197,650 |
| 78.-1-45.1 | 2049 Coverdale Rd | Leicester | 14481 | Zielinski Wetmore, Nancy | 2049 Coverdale Rd | Leicester, NY 14481 | 242 | Linked | | | \$ 197,650 |
| 87.-1-34.11 | 2173 Jones Bridge Rd | Leicester | 14481 | Winter, Matthew R. | 2173 Jones Bridge Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 102,550 |
| 87.-1-34.11 | 2173 Jones Bridge Rd | Leicester | 14481 | Winter, Abigail | 2173 Jones Bridge Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 102,550 |
| 105.-1-20.4 | 5864 Gibsonville Rd | Leicester | 14481 | Wolcott, Edward | 5864 Gibsonville Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 121,400 |
| 105.-1-20.4 | 5864 Gibsonville Rd | Leicester | 14481 | Wolcott, Nancy | 5864 Gibsonville Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 121,400 |
| 105.-1-20.211 | 5852 Gibsonville Rd | Leicester | 14481 | Wolcott, Edward II | 5852 Gibsonville Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 131,500 |
| 105.-1-20.211 | 5852 Gibsonville Rd | Leicester | 14481 | Wolcott, Melissa | 5852 Gibsonville Rd | Leicester, NY 14481 | 210 | Linked | | | \$ 131,500 |
| 96.-1-39 | 5726 Gibsonville Rd | Leicester | 14481 | Wolcott, Lesley A. | 5726 Gibsonville Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 86,750 |
| 96.-1-39 | 5726 Gibsonville Rd | Leicester | 14481 | Chiappone, Shane | 5726 Gibsonville Rd | Leicester, NY 14481 | 210 | linked | | | \$ 86,750 |
| 78.-1-40 | Covington Rd | Leicester | 14481 | Woodvale Farms L L C, | 6935 Burke Hill Rd | Perry, NY 14530 | 105 | 0 | Yes | | \$ 91,900 |
| 87.-1-18.13 | Coverdale Rd | Leicester | 14481 | Woodvale Farms L L C, | 6935 Burke Hill Rd | Perry, NY 14530 | 105 | 0 | Yes | | \$ 710,700 |
| 88.-1-8.1 | 4887 Covington Rd | Leicester | 14481 | Woodvale Farms L L C, | 6935 Burke Hill Rd | Perry, NY 14530 | 112 | 1 | Yes | | \$ 851,400 |
| 88.-1-9.11 | 4920 Covington Rd | Leicester | 14481 | Woodvale Farms, LLC, | 6935 Burke Hill Rd | Perry, NY 14530 | 120 | 1 | Yes | | \$ 625,900 |
| 87.-1-13.22 | 2054 Coverdale Rd | Leicester | 14481 | Youngers, Rachel J. | 2054 Coverdale Rd | Leicester, NY 14481 | 210 | 1 | | | \$ 132,900 |

| Tax ID | Property Address | Municipality | Zip Code | Owner Name | Owner Address | Owner City | Property Code | Units | NYS Ag | Comment | Full Market Value |
|---------------|-------------------------|---------------------|-----------------|-------------------|------------------------|-------------------|----------------------|--------------|---------------|----------------|--------------------------|
| 87.-1-31.1 | 2357 Jones Bridge Rd | Leicester | 14481 | Zawadzki, Kyle | 2126 Clinton Street Rd | Attica, NY 14011 | 210 | 1 | | | \$ 161,200 |